Town of Smithfield

Shoreland Zoning Ordinance

March 9th 1996

ADOPTED: March 9, 1996

AMENDED: March 8, 1997, March 13, 1999, March 11, 2000, March 10, 2001, August 19, 2003, March 12, 2005, August 2006, March 8, 2008, March 14, 2015, March 11, 2017, March 12, 2022, March 11, 2023

Contents

	ON 1. PURPOSES	
	ON 2. AUTHORITY	
	ON 3. APPLICABILITY	
	ON 4. EFFECTIVE DATE	
	Affective Date of Ordinance and Ordinance Amendments	
	ections 15(O) and 15(O-1). Section 15(O) is repealed on the statutory date established under	
	ON 5. AVAILABILITY	
	ON 6. SEVERABILITY	
	ON 7. CONFLICTS WITH OTHER ORDINANCES	
	ON 8. AMENDMENTS	
	ON 9. DISTRICTS AND ZONING MAP	
Α.	Official Shore land Zoning Map. The areas to which this Ordinance is applicable are hereby divided into the following	
_	cts as shown on the Official Shore land Zoning Map and defined in Section 18 which is made a part of this Ordinance:	
В.	Scale of Map.	
C.	Certification of Official Shore land Zoning Map.	
D.	Changes in the Official Shore land Zoning Map	
	ON 10. INTERPRETATION OF DISTRICT BOUNDARIES (REF: Sec 18)	
	ON 11. LAND USE REQUIREMENTS.	
SECTION	ON 12. NON-CONFORMANCE	0
A.	ed before the effective date of this Ordinance or amendments thereto shall be allowed to continue, subject to the requirement	1
	orth in Section 12. Except as otherwise provided in this Ordinance, a non-conforming condition shall not be permitted to	ItS
	me more non-conforming.	6
B.	General	
ъ. 1.	Transfer of Ownership	
2.	Repair and Maintenance.	
C. 2.	Non-conforming Structures	
c. 1.	Expansions.	
2.	Foundations.	
3.	Relocation	
4.	Reconstruction or Replacement.	
5.	Change of Use of a Non-conforming Structure.	
D.	Non-conforming Uses.	
1.	Expansions.	
E.	Non-conforming Lots	
1.	Non-conforming Lots:	
2.	Contiguous Built Lots:	11
3.	Contiguous Lots - Vacant or Partially Built:	11
13.	Establishment of Districts	12
3.	Resource Protection District.	12
4.	Limited Residential District.	13
5.	Limited Commercial District.	13
6.	General Development I District.	13
7.	General Development II District.	
8.	Stream Protection District (SP).	
	ON 14. TABLE OF LAND USES	
	LE 1. LAND USES IN THE SHORELAND ZONE	
SECTION	ON 15. LAND USE STANDARDS	
A.	Minimum Lot Standards Minimum Lot Area (sq. ft.) Min. Shore Frontage (ft.)	
В.	Principal and Accessory Structures: (See Section 14, Table 1, #15 & #16)	
C.	Piers, Docks, Wharves, Bridges, and other Structures and Uses Extending Over or Below the Normal High-Water Line of	
•	of Water or a Wetland:	
D.	Campgrounds:	
E.	Individual Private Campsites:	22

F. Commercial and Industrial Uses	23
G. Parking Areas:	23
H. Roads and Driveways:	
I. Signs:	
J. Storm Water Runoff:	2 <i>e</i>
L. Essential Services:	27
M. Mineral Exploration and Extraction:	27
N. Agriculture:	28
O. Timber Harvesting:	29
P. Clearing or Removal of Vegetation for Activities	37
Q. Hazard Trees, Storm-Damaged Trees, and Dead Tree Removal	39
R. Exemptions to Clearing and Vegetation Removal Requirements	41
S. Revegetation Requirements	42
T. Erosion and Sedimentation Control:	44
U. Soils:	45
V. Water Quality:	
SECTION 16: ADMINISTRATION	45
A. Administering Bodies and Agents:	45
B. Permits Required:	45
C. Permit Application:	46
D. Procedure for Administering Permits:	46
E. Expiration of Permit	47
F. Installation of Public Utility Service	
G. Appeals	47
H. Enforcement	51
SECTION 17. DEFINITIONS:	
SECTION 18. WRITTEN DESCRIPTION OF DISTRICTS	63
APPENDIX A	66
K. Septic Waste Disposal: (Section 14, Table 1, #20)	

SECTION 1. PURPOSES

The purpose of this ordinance is to further the maintenance of safe and healthful conditions; to prevent and control water pollution; to protect fish spawning grounds, aquatic life, bird and other wildlife habitat, to protect buildings and land from flooding and accelerated erosion; to protect archaeological and historic resources; to protect freshwater wetlands; to control building sites, placement of structures and land uses; to conserve shore cover, and visual as well as actual points of access to inland waters; to conserve natural beauty and open space; and to participate and respond to the impacts of development in shore land areas.

SECTION 2. AUTHORITY

This Ordinance has been prepared in accordance with the provisions of Title 38, sections 435-449 of the Maine Revised Statutes Annotated (M.R.S.A.)

SECTION 3. APPLICABILITY

This Ordinance applies to all land areas within 250 feet, horizontal distance, of the normal high-water line of any great pond or river or the upland edge of a freshwater wetland and all land areas within 75 feet, horizontal distance, of the normal high-water line of a stream. This Ordinance also applies to any structure built on, over, or abutting a dock, wharf, or pier, or other structure extending or located below the normal high-water line of a water body or within a wetland.

SECTION 4. EFFECTIVE DATE

A. Effective Date of Ordinance and Ordinance Amendments

This Ordinance, which was adopted by citizens at the town meeting held on March 12, 2022, shall not be effective unless approved by the Commissioner of the Department of Environmental Protection. A certified copy of this Ordinance, or Ordinance Amendment, attested and signed by the Town Clerk, shall be forwarded to the Commissioner of the DEP for approval. If the Commissioner of the DEP fails to act on this Ordinance, or Ordinance Amendment, within forty-five (45) days of his/her receipt of the Ordinance, or Ordinance Amendment, it shall be deemed automatically approved.

B. Sections 15(O) and 15(O-1). Section 15(O) is repealed on the statutory date established under

38 M.R.S.A. section 438-A (5), at which time Section 15(O-1) shall become effective. Until such time as Section 15(O) is repealed; Section 15(O-1) is not in effect.

NOTE: The statutory date established under 38 M.R.S.A. section 438-A (5) is the effective date of state-wide timber harvesting standards. That date is "the first day of January of the 2nd year following the year in which the Commissioner of Conservation determines that at least 252 of the 336 municipalities identified by the Commissioner of Conservation as the municipalities with the highest acreage of timber harvesting activity on an annual basis for the period 1992-2003 has either accepted the state-wide standards or have adopted an ordinance identical to the state-wide standards."

SHORE LAND ZONING

38 M.R.S.A. section 438-A (5) further provides that "the Commissioner of Conservation shall notify the Secretary of State in writing and advise the Secretary of the effective date of the state-wide standards."

SECTION 5. AVAILABILITY

A certified copy of the Ordinance shall be filed with the Town Clerk and shall be accessible to any member of the public. Copies shall be made available to the public at reasonable cost at the expense of the person making the request. Notice of the availability of this Ordinance shall be posted.

SECTION 6. SEVERABILITY

Should any section or provisions of this Ordinance be declared by the courts to be invalid, such decision shall not invalidate any other section or provision of the Ordinance.

SECTION 7. CONFLICTS WITH OTHER ORDINANCES

Whenever a provision of this Ordinance conflicts with or is inconsistent with another provision of this Ordinance or of any other ordinance, regulation or statute administered by the municipality, the more restrictive provision shall control.

SECTION 8. AMENDMENTS

This Ordinance may be amended by majority vote of the citizens attending a town meeting. Copies of amendments, attested and signed by the Municipal Clerk, shall be submitted to the Commissioner of the Department of Environmental Protection following adoption by the Citizens and shall not be effective unless approved by the Commissioner of the Department of Environmental Protection. If the Commissioner of the DEP fails to act on any amendment within 45 days of the board's receipt of the amendment, the amendment is automatically approved. Any application for a permit submitted to the town within the forty-five (45) day period shall be governed by the terms to the amendment, if the Commissioner approves such amendment.

SECTION 9. DISTRICTS AND ZONING MAP

- A. Official Shore land Zoning Map. The areas to which this Ordinance is applicable are hereby divided into the following districts as shown on the Official Shore land Zoning Map and defined in Section 18 which is made a part of this Ordinance:
- 1. Resource Protection (RP)
- Limited Residential-Recreational (LRR)
- 3. Limited Residential-Recreational Sub zone I (general, light commercial use) (LRR1)
- 4. General Development 1
- 5. General Development 2
- 6. Stream Protection (SP)

B. Scale of Map

The Official Shore land Zoning Map shall be drawn at a scale of not less than: 1 inch = 1000 feet. District boundaries shall be clearly delineated and a legend indicating the symbols for each district shall be placed on the map.

C. Certification of Official Shore land Zoning Map.

The Official Shore land Zoning Map shall be certified by the attested signature of the Town Clerk and shall be located in the Town Office.

D. Changes in the Official Shore land Zoning Map

If amendments, in accordance with Section 8, are made in the district boundaries or other matter portrayed on the Official Shore land Zoning Map, such changes shall be made on the Official Shore land Zoning Map within thirty days (30) after the Commissioner of the Department of Environmental Protection has approved the amendment.

SECTION 10. INTERPRETATION OF DISTRICT BOUNDARIES (REF: Sec 18)

Unless otherwise set forth on the Official Shore land Zoning Map, district boundary lines are property lines, the center lines of streets, roads, and right of ways, and the boundaries of the shore land area as defined herein. Where uncertainty exists as to the exact location of district boundary lines, the Board of Appeals shall be the final authority as to location.

NOTE: The Maine Supreme Judicial Court has held that the Official Shore Land Zoning Map is the primary tool to which to refer in determining district boundaries under ordinances that are not more explicit in their district descriptions than the language of the Guidelines, and that where there is inconsistency between the Map and these general text descriptions of the shore land districts a provided in the minimum guidelines, Map prevails.

SECTION 11. LAND USE REQUIREMENTS.

Except as hereinafter specified, no building, structure or land shall hereafter be used or occupied, and no building or structure or part thereof shall hereafter be erected, constructed, expanded, moved, or altered and no new lot shall be created except in conformity with all the regulations herein specified for the district in which it is located, unless a variance is granted.

SECTION 12. NON-CONFORMANCE

A. Purpose. It is the intent of this Ordinance to promote land use conformities, except that non-conforming conditions that existed before the effective date of this Ordinance or amendments thereto shall be allowed to continue, subject to the requirements set forth in Section 12. Except as otherwise provided in this Ordinance, a non-conforming condition shall not be permitted to become more non-conforming.

B. General

1. Transfer of Ownership.

Non-conforming structures, lots, and uses may be transferred, and the new owner may continue the non-conforming use or continue to use the non-conforming structure or lot, subject to the provisions of this Ordinance.

2. Repair and Maintenance.

This Ordinance allows, without a permit, the normal upkeep and maintenance of non-conforming uses and structures including repairs or renovations that do not involve expansion of the non-conforming use or structure, and such other changes in a non-

SHORE LAND ZONING Page 6 of 66

conforming use or structure as federal, state, or local building and safety codes may require.

NOTE: See Section 17 for the definitions of non-conforming structures, non-conforming uses, and non-conforming lots.

C. Non-conforming Structures

1. Expansions.

All new principal and accessory structures, excluding functionally water-dependent uses, must meet the water body, tributary stream, or wetland setback requirements contained in Section 15(B)(1). A non-conforming structure may be added to or expanded after obtaining a permit from the same permitting authority as that for a new structure, if such addition or expansion does not increase the non-conformity of the structure and is in accordance with subparagraphs (a) and (b) below.

- (a) Expansion of any portion of a structure within 25 feet of the normal high-water line of a water body, tributary stream, or upland edge of a wetland is prohibited, even if the expansion will not increase nonconformity with the water body, tributary stream, or wetland setback requirement. Expansion of an accessory structure that is located closer to the normal high-water line of a water body, tributary stream, or upland edge of a wetland than the principal structure is prohibited, even if the expansion will not increase nonconformity with the water body, tributary stream, or wetland setback requirement.
- (b) Notwithstanding paragraph (a), above, if a legally existing nonconforming principal structure is entirely located less than 25 feet from the normal high-water line of a water body, tributary stream, or upland edge of a wetland, that structure may be expanded as follows, as long as all other applicable municipal land use standards are met, and the expansion is not prohibited by Section 12(C) (1).
 - (i) The maximum total footprint for the principal structure may not be expanded to a size greater than 800 square feet or 30% larger than the footprint that existed on January 1, 1989, whichever is greater. The maximum height of the principal structure may not be made greater than 15 feet or the height of the existing structure, whichever is greater.
- (c) All other legally existing nonconforming principal and accessory structures that do not meet the water body, tributary stream, or wetland setback requirements may be expanded or altered as follows, as long as other applicable municipal land use standards are met and the expansion is not prohibited by Section 12(C)(1) or Section 12(C)(1)(a), above.
 - (i) For structures located less than 75 feet from the normal high-water line of a water body, tributary stream, or upland edge of a wetland, the maximum combined total footprint for all structures may not be expanded to a size greater than 1,000 square feet or 30% larger than the footprint that existed on January 1, 1989,

SHORE LAND ZONING Page 7 of 66

whichever is greater. The maximum height of any structure may not be made greater than 20 feet or the height of the existing structure, whichever is greater.

- (ii) For structures located less than 100 feet from the normal high-water line of a great pond classified as GPA or a river flowing to a great pond classified as GPA, the maximum combined total footprint for all structures may not be expanded to a size greater than 1,500 square feet or 30% larger than the footprint that existed on January 1, 1989, whichever is greater. The maximum height of any structure may not be made greater than 25 feet or the height of the existing structure, whichever is greater. Any portion of those structures located less than 75 feet from the normal high-water line of a water body, tributary stream, or upland edge of a wetland must meet the footprint and height limits in Section 12(C)(1)(b)(i) and Section 12(C)(1)(c)(i), above.
- (iii) In addition to the limitations in subparagraphs (i) and (ii), for structures that are legally nonconforming due to their location within the Resource Protection District when located at less than 250 feet from the normal high-water line of a water body or the upland edge of a wetland, the maximum combined total footprint for all structures may not be expanded to a size greater than 1,500 square feet or 30% larger than the footprint that existed at the time the Resource Protection District was established on the lot, whichever is greater. The maximum height of any structure may not be made greater than 25 feet or the height of the existing structure, whichever is greater, except that any portion of those structures located less than 75 feet from the normal high-water line of a water body, tributary stream, or upland edge of a wetland must meet the footprint and height limits in Section 12(C)(1)(b)(i) and Section 12(C)(1)(c)(i), above.
- (d) An approved plan for expansion of a nonconforming structure must be recorded by the applicant with the registry of deeds, within 90 days of approval. The recorded plan must show the existing and proposed footprint of the non-conforming structure, the existing and proposed structure height, the footprint of any other structures on the parcel, the shoreland zone boundary and evidence of approval by the municipal review authority.

2. Foundations.

Whenever a new, enlarged, or replacement foundation is constructed under a non-conforming structure, the structure and new foundation must be placed such that the setback requirement is met to the greatest practical extent as determined by the Planning Board or its designee, basing its decision on the criteria specified in Section 12(C) (3) Relocation, below. If the completed foundation does not extend beyond the exterior dimensions of the structure, except for expansion in conformity with Section 12(C)(1)above, and the foundation does not increase the structures height by more than three (3) additional feet, it shall not be considered to be an expansion of the structure.

3. Relocation.

A non-conforming structure may be relocated within the boundaries of the parcel on which the structure is located provided that the site of relocation conforms to all setback requirements to the greatest practical extent as determined by the Planning Board or its designee, and provided that the applicant demonstrates that the present subsurface

SHORE LAND ZONING Page 8 of 66

sewage disposal system meets the requirements of State law and the State of Maine Subsurface Wastewater Disposal Rules (Rules), or that a new system can be installed in compliance with the law and said Rules. In no case shall a structure be relocated in a manner that causes the structure to be more non-conforming.

In determining whether the building relocation meets the setback to the greatest practical extent, the Planning Board or its designee shall consider the size of the lot, the slope of the land, the potential for soil erosion, the location of other structures on the property and on adjacent properties, the location of the septic system and other on-site soils suitable for septic systems, and the type and amount of vegetation to be removed to accomplish the relocation.

When it is necessary to remove vegetation within the water or wetland setback area in order to relocate a structure, the Planning Board shall require replanting of native vegetation to compensate for the destroyed vegetation in accordance with Section 15(S). In addition, the area from which the relocated structure was removed must be replanted with vegetation. Replanting shall be required as follows:

(a) Trees removed in order to relocate a structure must be replanted with at least one native tree, three (3) feet in height, for every tree removed. If more than five trees are planted, no one species of tree shall make up more than 50% of the number of trees planted. Replaced trees must be planted no further from the water or wetland than the trees that were removed.

Other woody and herbaceous vegetation, and ground cover, which are removed or destroyed in order to relocate a structure must be re-established. An area at least the same size as the area where vegetation and/or ground cover was disturbed, damaged, or removed must be reestablished within the setback area. The vegetation and/or ground cover must consist of similar native vegetation and/or ground cover that was disturbed, destroyed, or removed.

(b) Where feasible, when a structure is relocated on a parcel the original location of the structure shall be replanted with vegetation which may consist of grasses, shrubs, trees, or a combination thereof.

4. Reconstruction or Replacement.

Any non-conforming structure which is located less than the required setback from a water body, tributary stream, or wetland and which is removed, or damaged or destroyed, regardless of the cause, by more than 50% of the market value of the structure before such damage, destruction or removal, may be reconstructed or replaced provided that a permit is obtained within eighteen (18) months of the date of said damage, destruction, or removal, and provided that such reconstruction or replacement is in compliance with the water body, tributary stream or wetland setback requirement to the greatest practical extent as determined by the Planning Board or its designee in accordance with the purposes of this Ordinance. In no case shall a structure be reconstructed or replaced so as to increase its non-conformity. If the reconstructed or replacement structure is less than the required setback it shall not be any larger than the original structure, except as allowed pursuant to Section 12(C)(1) above, as determined by the non-conforming footprint of the

SHORE LAND ZONING Page 9 of 66

reconstructed or replaced structure at its new location. If the total footprint of the original structure can be relocated or reconstructed beyond the required setback area, no portion of the relocated or reconstructed structure shall be replaced or constructed at less than the setback requirement for a new structure. When it is necessary to remove vegetation in order to replace or reconstruct a structure, vegetation shall be replanted in accordance with Section 12(C) (3) above.

Any non-conforming structure which is located less than the required setback from a water body, tributary stream, or wetland and which is removed by 50% or less of the market value, or damaged or destroyed by 50% or less of the market value of the structure, excluding normal maintenance and repair, may be reconstructed in place if a permit is obtained from the Code Enforcement Officer within one year of such damage, destruction, or removal.

In determining whether the building reconstruction or replacement meets the setback to the greatest practical extent the Planning Board or its designee shall consider, in addition to the criteria in Section 12(C)(3) above, the physical condition and type of foundation present, if any.

5. Change of Use of a Non-conforming Structure.

The use of a non-conforming structure may not be changed to another use unless the Planning Board, after receiving a written application, determines that the new use will have no greater adverse impact on the water body, tributary stream, or wetland, or on the subject or adjacent properties and resources than the existing use.

In determining that no greater adverse impact will occur, the Planning Board shall require written documentation from the applicant, regarding the probable effects on public health and safety, erosion and sedimentation, water quality, fish and wildlife habitat, vegetative cover, visual and actual points of public access to waters, natural beauty, floodplain management, archaeological and historic resources, and commercial fishing and maritime activities, and other functionally water-dependent uses.

D. Non-conforming Uses

1. Expansions.

Expansions of non-conforming uses are prohibited, except that non-conforming residential uses may, after obtaining a permit from the Planning Board, be expanded within existing residential structures or within expansions of such structures as allowed in Section 12(C)(1) above.

Resumption Prohibited

A lot, building or structure in or on which a non-conforming use is discontinued for a period exceeding one year, or which is superseded by a conforming use, may not again be devoted to a non-conforming use except that the Planning Board may, for good cause shown by the applicant, grant up to a one-year extension to that time period. This provision shall not apply to the resumption of a use of a residential structure provided that the structure has been used or maintained for residential purposes during the preceding five (5) year period.

Change of Use

An existing non-conforming use may be changed to another non-conforming use provided that the proposed use has no greater adverse impact on the subject and adjacent properties and resources, including water dependent uses in the CFMA district, than the former use, as determined by the Planning Board. The determination of no greater adverse impact shall be made according to criteria listed in Section 12(C) (5) above.

E. Non-conforming Lots

1. Non-conforming Lots:

A non-conforming lot of record as of the effective date of this Ordinance or amendment thereto may be built upon, without the need for a variance, provided that such lot is in separate ownership and not contiguous with any other lot in the same ownership, and that all provisions of this Ordinance except lot area, lot width and shore frontage can be met. Variances relating to setback or other requirements not involving lot area, lot width or shore frontage shall be obtained by action of the Board of Appeals.

2. Contiguous Built Lots:

If two or more contiguous lots or parcels are in a single or joint ownership of record at the time of adoption of this Ordinance, if all or part of the lots do not meet the dimensional requirements of this Ordinance, and if a principal use or structure exists on each lot, the non-conforming lots may be conveyed separately or together, provided that the *State Minimum Lot Size Law* (12 M.R.S.A. sections 4807-A through 4807-D) and the State of Maine Subsurface Wastewater Disposal Rules are complied with.

If two or more principal uses or structures existed on a single lot of record on the effective date of this ordinance, each may be sold on a separate lot provided that the above referenced law and rules are complied with. When such lots are divided each lot thus created must be as conforming as possible to the dimensional requirements of this Ordinance.

3. Contiguous Lots - Vacant or Partially Built:

If two or more contiguous lots or parcels are in single or joint ownership of record at the time of or since adoption or amendment of this Ordinance, if any of these lots do not individually meet the dimensional requirements of this Ordinance or subsequent amendments, and if one or more of the lots are vacant or contain no principal structure the lots shall be combined to the extent necessary to meet the dimensional requirements.

NOTE: Consistent with 38 M.R.S.A. section 438-A (1-A) (B), the immediately following exception may be adopted at the end of Section 12(E) (3) above if the municipality wishes to grandfather certain contiguous lots that were conforming and under the same ownership at the time lot size and shore frontage requirements were increased beyond those found in subparagraph E (3) (a).

This provision shall not apply to 2 or more contiguous lots, at least one of which is non-conforming, owned by the same person or persons on the effective date of this Ordinance and recorded in the registry of deeds if the lot is served by a public sewer or can

SHORE LAND ZONING Page 11 of 66

accommodate a subsurface sewage disposal system in conformance with the State of Maine Subsurface Wastewater Disposal Rules; and

- (a) Each lot contains at least 100 feet of shore frontage and at least 20,000 square feet of lot area; or
- **(b)** Any lots that do not meet the frontage and lot size requirements of Section 12(E)(3)(a) are reconfigured or combined so that each new lot contains at least 100 feet of shore frontage and 20,000 square feet of lot area.

13. Establishment of Districts

3. Resource Protection District.

The Resource Protection District includes areas in which development would adversely affect water quality, productive habitat, biological ecosystems, or scenic and natural values. This district shall include the following areas when they occur within the limits of the shoreland zone, exclusive of the Stream Protection District, except that areas which are currently developed and areas which meet the criteria for the Limited Commercial, General Development I, or Commercial Fisheries/Maritime Activities Districts need not be included within the Resource Protection District.

- (1) Floodplains along rivers and floodplains along artificially formed great ponds along rivers, defined by the 100-year floodplain as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent floodplain soils. This district shall also include 100-year floodplains adjacent to tidal waters as shown on FEMA's Flood Insurance Rate Maps or Flood Hazard Boundary Maps.
- (2) Areas of two or more contiguous acres with sustained slopes of 20% or greater.
- (3) Areas of two (2) or more contiguous acres supporting wetland vegetation and hydric soils, which are not part of a freshwater or coastal wetland as defined, and which are not surficially connected to a water body during the period of normal high water.

NOTE: These areas usually consist of forested wetlands abutting water bodies and non-forested wetlands.

(4) Land areas along rivers subject to severe bank erosion, undercutting, or riverbed movement, and lands adjacent to tidal waters which are subject to severe erosion or mass movement, such as steep coastal bluffs.

NOTE: Municipalities may also include the following other areas which have been recommended for protection in the comprehensive plan of the municipality, or as otherwise endorsed for protection by the municipal legislative body, such as:

Other important wildlife habitat;

Natural sites of significant scenic or esthetic value;

SHORE LAND ZONING Page 12 of 66

Areas designated by federal, state, or municipal governments as natural areas of significance to be protected from development; and

Other significant areas which should be included in this district to fulfill the purposes of this Ordinance, such as, but not limited to, existing public access areas and certain significant archaeological and historic sites deserving of long-term protection as determined by the municipality after consultation with the Maine Historic Preservation Commission.

Areas within 250 feet, horizontal distance, of the upland edge of freshwater and/or coastal wetlands, which are rated "moderate" or "high" value waterfowl and wading bird habitat, including nesting, and feeding areas, by the Maine Department of Inland Fisheries and Wildlife (MDIF&W). These areas are generally depicted on a Geographic Information System (GIS) data layer.

4. Limited Residential District.

The Limited Residential District includes those areas suitable for residential and recreational development. It includes areas other than those in the Resource Protection District, or Stream Protection District, and areas which are used less intensively than those in the Limited Commercial District, the General Development Districts, or the Commercial Fisheries/Maritime Activities District.

5. Limited Commercial District.

The Limited Commercial District includes areas of mixed, light commercial and residential uses, exclusive of the Stream Protection District, which should not be developed as intensively as the General Development Districts. This district includes areas of two or more contiguous acres in size devoted to a mix of residential and low intensity business and commercial uses. Industrial uses are prohibited.

6. General Development I District.

The General Development I District includes the following types of existing, intensively developed areas:

- (1) Areas of two or more contiguous acres devoted to commercial, industrial, or intensive recreational activities, or a mix of such activities, including but not limited to the following:
 - (a) Areas devoted to manufacturing, fabricating or other industrial activities;
 - (b) Areas devoted to wholesaling, warehousing, retail trade and service activities, or other commercial activities; and
 - (c) Areas devoted to intensive recreational development and activities, such as, but not limited to amusement parks, racetracks, and fairgrounds.
- (2) Areas otherwise discernible as having patterns of intensive commercial, industrial, or recreational uses.

SHORE LAND ZONING Page 13 of 66

7. General Development II District.

The General Development II District includes the same types of areas as those listed for the General Development I District. The General Development II District, however, shall be applied to newly established General Development Districts where the pattern of development at the time of adoption is undeveloped or not as intensively developed as that of the General Development I District.

Portions of the General Development District I or II may also include residential development. However, no area shall be designated as a General Development I or II District based solely on residential use.

In areas adjacent to great ponds classified GPA and adjacent to rivers flowing to great ponds classified GPA, the designation of an area as a General Development District shall be based upon uses existing at the time of adoption of this Ordinance. There shall be no newly established General Development Districts or expansions in area of existing General Development Districts adjacent to great ponds classified GPA, and adjacent to rivers that flow to great ponds classified GPA.

8. Stream Protection District (SP).

The Stream Protection District includes all land areas within seventy-five (75) feet, horizontal distance, of the normal high-water line of a stream, exclusive of those areas within two-hundred and fifty (250) feet, horizontal distance, of the normal high-water line of a great pond, or river, or within two hundred and fifty (250) feet, horizontal distance, of the upland edge of a freshwater wetland. Where a stream and its associated shore land area is located within two-hundred and fifty (250) feet, horizontal distance, of the above water bodies or wetlands, that land area shall be regulated under the terms of the shore land district associated with that water body or wetland.

SHORE LAND ZONING Page 14 of 66

SECTION 14. TABLE OF LAND USES

All land use activities, as indicated in Table 1, Land Uses in the Shore land Zone, shall conform to all the applicable land use standards in Section 15. The district designation for a particular site shall be determined from the Official Shore land Zoning Map.

Key to Table 1:

Yes - Allowed (no permit required but the use must comply with all applicable land use standards).

No - Prohibited

PB - Allowed with permit from the Planning Board

CEO - Allowed with permit from the Code Enforcement Officer

LPI - Allowed with permit from the Local Plumbing Inspector

Abbreviations:

RP - Resource Protection

LRR - Limited Residential-Recreational

LRR1 - Limited Residential-Recreation Sub zone I (Commercial)

GD I – General Development I District

GD II – General Development II District

SP - Stream Protection

TABLE 1. LAND USES IN THE SHORELAND ZONE

	DISTRICTS						
LAND USE	RP	LRR	LRR1	SP	GD1	GD2	REF
1. Non-intensive recreational uses not							
requiring structures such as:							
hunting, fishing & hiking	YES	YES	YES	YES	N/A	N/A	
2. Motorized vehicular traffic on existing							
roads and trails	YES	YES	YES	YES	N/A	N/A	
3. Forest management activities except for							
roads and trails	YES	YES	YES	YES	N/A	N/A	15: O
4. Timber harvesting	CEO(1)	YES CEO	YES CEO	YES CEO	N/A	N/A	15: O
5. Clearing or removal of vegetation from activities other than Timber Harvesting	CEO(1)	YES	YES	YES	N/A	N/A	15:P
6. Fire prevention activities	YES	YES	YES	YES	N/A	N/A	
7. Wildlife management practices	YES	YES	YES	YES	N/A	N/A	
8. Soil and water conservation practices	YES	YES	YES	YES	N/A	N/A	
9. Mineral exploration	YES(2)	YES(2)	YES(2)	NO	N/A	N/A	15:M
10. Mineral extraction including sand and							
gravel extraction	PB(3)	PB	PB	NO	N/A	N/A	15:M
11. Surveying & resource analysis	YES	YES	YES	YES	N/A	N/A	
12. Emergency operations	YES	YES	YES	YES	N/A	N/A	
13. Agriculture	PB	Yes/8	Yes/8	Yes/8	N/A	N/A	15:N
14. Aquaculture	PB	PB	YES	YES	N/A	N/A	15:S

	DISTRICTS						
LAND USE	RP	LRR	LRR1	SP	GD1	GD2	REF
15. Principal Structures and Uses:							15:B
A. One-two family residential	NO	РВ	PB	PB(4)	N/A	N/A	
B. Multi-unit residential	NO	NO	NO	NO	N/A	N/A	
C. Commercial	NO	NO	PB	NO	N/A	N/A	15:F
D. New Industrial Uses permitted	NO	NO	NO	NO	N/A	N/A	15:F
E. Governmental & Institutional	NO	NO	PB	NO	N/A	N/A	
F. Small non-residential facilities for							
in the scientific educational,							
or nature purposes	PB	CEO	CEO	NO	N/A	N/A	
16. Structures accessory to allowed							
USes	PB	CEO	CEO	PB(4)	N/A	N/A	15:B
17. Piers, docks, wharves, bridges, and other							
structures and uses extending over							
he normal high-water line or beyond							
or within a wetland							15:C
A. Temporary	CEO	CEO	CEO	CEO	N/A	N/A	10.0
B. Permanent	DEP	DEP	DEP	DEP	N/A	N/A	
18. Conversions of Seasonal	DLI	DEI	DLI	DEI	14// (14// (
residences to							
year-round use in conforming							
structures	NO	LPI	LPI	LPI	N/A	N/A	15:K
19. Home Occupations	NO	PB	YES	PB	N/A	N/A	15
20. Private sewage disposal systems for							
allowed uses	NO	LPI	LPI	LPI	N/A	N/A	15:K
21. Essential services	PB(5)	YES	YES	YES	N/A	N/A	15:L
22. Service drops, as defined, to	1 D(0)	120	120	120	14// (14// (10.L
allowed uses	YES	YES	YES	YES	N/A	N/A	
23. Public and private recreational							
areas							
involving minimal structural development	PB	PB	PB	PB	N/A	N/A	
development	טו	ן וט	טון	ם ו	11//\	11/7	

SHORE LAND ZONING Page 16 of 66

LAND USE			DIS	TRICTS			
	RP	LRR	LRR1	SP	GD1	GD2	REF
24. Individual Private Campsites	CEO	CEO	CEO	CEO	N/A	N/A	15:E
25. Campgrounds	NO(6)	PB	PB	NO	N/A	N/A	15: D
26. Road and driveway construction	NO(7)	PB	PB	PB	N/A	N/A	N/A
27. Parking facilities	NO(7)	PB	PB	NO	N/A	N/A	15:G
28. Marinas	NO	PB	PB	PB	N/A	N/A	
29. Filling and earth moving under 10 yards	CEO	YES	YES	CEO	N/A	N/A	N/A
30. Filling and earth moving over 10 yards	PB	CEO	CEO	PB	N/A	N/A	N/A
31. Signs	YES	YES	YES	YES	N/A	N/A	15:i
32. Uses similar to allowed uses	CEO	CEO	CEO	CEO	N/A	N/A	
33. Uses similar to uses requiring a CEO Permit	CEO	CEO	CEO	CEO	N/A	N/A	
34. Uses similar to uses requiring a PB Permit	PB	PB	PB	PB	N/A	N/A	

The State of Maine Chapter 1000 regulations state that filling and earth moving amount of yards cannot be more than 10.

- **1.** In RP not permitted without 75' of normal high-water mark (If state-wide standards go into effect-this will be allowed)
- 2. Requires permit from the CEO if more than 100 square feet to surface area in total is distributed.
- 3. In RP not permitted in areas so designated because of wildlife value
- **4.** Provided that a variance from the setback requirement is obtained from the Board of Appeals.
- 5. See further restrictions in Section 15:L
- **6.** Except when area is zoned RP due to flood plain. Criteria in which case a permit is required from the PB
- **7.** Except to provide access to permitted uses within the district or were area, no reasonable alternative route or location is located outside the RP in which case a permit is required from the PB.
- 8. Requires permit from CEO

SECTION 15. LAND USE STANDARDS

All Land Use activities within the shoreland zone shall conform to the following provisions:

A. Minimum Lot Standards

Minimum Lot Area (sq. ft.) Min. Shore Frontage (ft.)

(See Minimum Lot Size Ordinance, Town Ordinances)

1.

(a) Residential per dwelling unit 80,000 200

(b) Governmental, Institutional, Commercial or Industrial per principal structure

80,000 300

(c) Public and Private Recreational Facilities

000,08

200

- 2. Land below the normal high-water line of a water body or upland edge of a wetland and land beneath roads serving more than two (2) lots shall not be included toward calculating minimum lot area.
- 3. Lots located on opposite sides of a public or private road shall be considered each a separate tract or parcel of land unless such road was established by the owner of land on both sides thereof September 22, 1971.
- 4. If more than one residential dwelling unit, governmental, institutional, commercial, or industrial structure or use, or combination thereof, is constructed or established on a single parcel, all dimensional requirements shall be met for each additional dwelling unit, principal structure, or use.
- 5. Cluster Development....the minimum lot size may be reduced no less than 40,000 square feet as long as 80,000 square feet for each dwelling shall be dedicated as common open space to be preserved and maintained for aesthetic value, recreational use, or conservation purposes. The open space must be contiguous to land on which the dwellings are built. Any open space land located on wetlands, wetland soils, or wetland vegetation shall not be counted as part of the open space. No dwellings shall be built within 250 feet of the highwater mark. (See Smithfield Subdivision Ordinance Section 7 Design and Construction Standards, paragraph I)
- 6. When subdivision developments in or outside the shoreland zone convey rights to use shoreland areas, it is required that 50 feet of shore frontage be provided for each lot or dwelling which has shore rights to a great pond, river, or stream.
- 7. The establishment of a shoreland lot not contained in a subdivision but intended for the common use of lots or dwelling within a subdivision is prohibited.
- 8. The minimum width of any portion of any lot within 100 feet, horizontal distance, of the normal high-water line of a water body or upland edge of a wetland shall be equal to or greater than the shore frontage requirement for a lot with the proposed use.

 Change of Ownership for Septic Waste Disposal: See section 15, K (2).
 At the time of change of ownership, all septic waste disposal systems shall be inspected by the

Licensed Plumbing Inspector (LPI) and shall conform that the current system is one that is to code referencing the State of Maine Department of Health & Human Services Plumbing Codes.

B. Principal and Accessory Structures: (See Section 14, Table 1, #15 & #16)

1. All new principal and accessory structures shall be set back at least one hundred (100') feet, horizontal distance, from the normal high-water line of great ponds classified GPA and rivers that flow to great ponds classified GPA, including Great Meadow Stream, and seventy-five (75') feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland. In the Resource Protection District, the setback requirement shall be 250 feet; horizontal distance, except for structures, roads, parking spaces or other regulated objects specifically allowed in that district in which case the setback requirements specified above shall apply.

In addition:

- The water body, tributary stream, or wetland setback provision shall neither apply to structures, which require direct access to the water body or wetland as an operational necessity, such as piers and docks and retaining walls, nor to other functionally waterdependent uses.
 - 2. Principal or accessory structures and expansions of existing structures which are permitted in the Resource Protection, Limited Residential, Limited Residential-Recreational sub zone and Stream Protection Structures shall not exceed thirty-five (35) feet in height. This provision shall not apply to structures such as transmission towers, windmills, antennas, and similar structures having no floor area. (Ref. for a proposed Tower Ordinance)
- 3. The lowest floor elevation or openings of all buildings and structures, including basements, shall be elevated at least one foot above the elevation of the 100-year flood, the flood of record, or in the absence of these, the flood as defined by soil types identified as recent flood-plain soils. In those municipalities that participate in the National Flood Insurance Program and have adopted the April 2005 version, or later version, of the Floodplain Management Ordinance, accessory structures may be placed in accordance with the standards of that ordinance and need not meet the elevation requirements of this paragraph.
- 4. The total footprint area of all structures, parking lots and other non-vegetated surfaces, within the shore land zone shall not exceed twenty (20) percent of the lot or a portion thereof, located within the shore land zone, including land area previously developed, except in the General Development District adjacent to rivers that do not flow to great ponds classified
 - General Development District adjacent to rivers that do not flow to great ponds classified GPA, and in the Commercial Fisheries/Maritime Activities District, where lot coverage shall not exceed seventy (70) percent.
- 5. Retaining walls that are not necessary for erosion control shall meet the structure setback requirement, except for low retaining walls and associated fill provided all of the following conditions are met:

- (a) The site has been previously altered and an effective vegetated buffer does not exist;
- (b) The wall(s) is(are) at least 25 feet, horizontal distance, from the normal high-water line of a water body, tributary stream, or upland edge of a wetland;
- (c) The site where the retaining wall will be constructed is legally existing lawn or is a site eroding from lack of naturally occurring vegetation, and which cannot be stabilized with vegetative plantings;
- (d) The total height of the wall(s), in the aggregate, is no more than 24 inches;
- (e) Retaining walls are located outside of the 100-year floodplain on rivers, streams, and tributary streams, as designated on the Federal Emergency Management Agency's (FEMA) Flood Insurance Rate Maps or Flood Hazard Boundary Maps, or the flood of record, or in the absence of these, by soil types identified as recent flood plain soils.
- (f) The area behind the wall is re-vegetated with grass, shrubs, trees, or a combination thereof, and no further structural development will occur within the setback area, including patios and decks; and
- (g) A vegetated buffer area is established within 25 feet, horizontal distance, of the normal high-water line of a water body, tributary stream, or upland edge of a wetland when a natural buffer area does not exist. The buffer area must meet the following characteristics
 - () Where the buffer must include shrubs and other woody and herbaceous vegetation, natural ground cover is lacking the area must be supplemented with leaf or bark mulch.
 - (ii) Vegetation plantings must be in quantities sufficient to retard erosion and provide for effective infiltration of storm water runoff;
 - (iii) Only native species may be used to establish the buffer area.
 - (iv) A minimum buffer width of 15 feet, horizontal distance, is required and measured perpendicularly to the normal high-water line or upland edge of a wetland.
 - (v A footpath not to exceed the standards in Section 15(P) (2) (a), may traverse the buffer.
- 6. Notwithstanding the requirements stated above, stairways or similar structures may be allowed with a permit from the Code Enforcement Officer, to provide shoreline access in areas of steep slopes or unstable soils provided: that the structure is limited to a maximum of four (4) feet in width; that the structure does not extend below or over the normal highwater line of a water body or upland edge of a wetland, (unless permitted by the Department of Environmental Protection pursuant to the Natural Resources Protection Act, 38 M.R.S.A. section 480-C); and that the applicant demonstrates that no reasonable access alternative exists on the property.

SHORE LAND ZONING Page 20 of 66

- 7. Bunkhouses shall meet all structure standards, as well as the following conditions; (a) One bunkhouse per lot existing on the effective date of this Ordinance or thirty thousand (30,000) square feet of lot area within the Shore Land Zone, whichever is less,
 - may be permitted.
 - (b) Bunkhouses shall meet all septic requirements mandated by State of Maine Department of Health & Human Services Subsurface Wastewater Disposal Rules.
- C. Piers, Docks, Wharves, Bridges, and other Structures and Uses Extending Over or Below the Normal High-Water Line of a Body of Water or a Wetland:

(See Section 14, Table 1, #17)

- Access from shore shall be developed on soil appropriate for such use and constructed so as to control erosion.
- 2. The facility shall be no larger in dimension than necessary to carry on the activity and be consistent with the surrounding character and uses of the area. A temporary pier, dock or wharf in non-tidal waters shall not be wider than six feet for non-commercial uses.
- 3. The location shall not interfere with existing developed or natural beach area.
- 4. The facility shall be located as to minimize adverse effects on fisheries.
- 5. No new structure shall be built on, over or abutting a pier, wharf, dock, or other structure extending beyond the normal high-water line of a water body or within a wetland unless the structure requires direct access to the water body or wetland as an operational necessity.
- 6. New permanent piers and docks shall not be permitted unless it is clearly demonstrated to the Code Enforcement Officer that a temporary pier or dock is not feasible, and a permit has been obtained from the Department of Environmental Protection, pursuant to the Natural
 - Resources Protection Act.
- 7. No existing structures built on, over or abutting a pier, dock, wharf, or other structure extending beyond the normal high-water line of a water body or within a wetland shall be converted to residential dwellings units in any district.
- 8. Structures built on, over or abutting a pier, wharf, dock, or other structures extending beyond the normal high-water line of a water body or within a wetland shall not exceed 20 feet in height above the pier, dock, or other structure.
- 9. Any person installing a new pier, dock, wharf, bridge, or other structure or use extending over or beyond the normal high-water line or within a wetland, shall first obtain a permit from the Code Enforcement Officer. All new docks shall be temporary, i.e. no new permanent docks shall be permitted. The Code Enforcement Officer shall determine that the proposed structure meets the requirements and definitions set forth in this Ordinance. Any future change in the approved structure will also require a permit from the Code Enforcement Officer. Temporary docks may be reinstalled each year, assuming that there has been no change from the approved structure, without additional permits required.

SHORE LAND ZONING Page 21 of 66

D. Campgrounds:

(See Section 14, Table 1, #25, Page 9) Campgrounds shall conform to the minimum requirements imposed under State licensing procedures and the following:

- Campgrounds shall contain a minimum of five thousand (5,000) square feet of land, not including roads and driveways, for each site. Land supporting wetland vegetation and land below the normal high-water line of a water body shall not be included in calculating land area per site.
- 2. The areas intended for placement of a recreational vehicle, tent or shelter, and utility and service buildings shall be set back a minimum of one hundred (100) feet, horizontal distance, from the normal high-water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.

E. Individual Private Campsites:

(See Section 14 Table 1, #24) Individual-private campsites not associated with campgrounds are allowed provided the following conditions are met:

- One campsite per lot existing on the effective date of this Ordinance or thirty thousand (30,000) square feet of lot area within the shoreland zone, whichever is less, may be permitted.
- Campsite placement on any lot, including the area intended for a recreational vehicle or tent platform, shall be set back one hundred (100) feet, horizontal distance, from the normal high-water line of a great pond classified GPA or river flowing to a great pond classified
 - GPA, and seventy-five (75) feet, horizontal distance, from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland.
- 3. Only one recreational vehicle shall be allowed on a campsite. The Recreational vehicles shall not be located on any type of permanent foundation except for a gravel pad, and no structure(s) except canopies shall be attached to the recreational vehicle.
- 4. The clearing of vegetation for the sitting of the recreational vehicle, tent, or similar shelter in a
 - Resource Protection District shall be limited to one thousand (1000) square feet.
- 5. A written sewage disposal plan describing the proposed method and location of sewage disposal shall be required for each campsite and shall be approved by the Local Plumbing Inspector. Where disposal is off-site, written authorization from the receiving facility or landowner is required.
- 6. When a recreational vehicle, tent or similar shelter is placed on-site for more than one hundred and twenty (120) days per year, all requirements for residential structures shall be met, including the installation of a subsurface sewage disposal system in compliance with the State of Maine Subsurface Wastewater Disposal Rules unless served by public sewage facilities.

F. Commercial and Industrial Uses

The following new commercial and industrial uses are prohibited within the shoreland zones adjacent to great ponds classified GPA, and rivers and streams which flow to great ponds classified GPA:

- a. Auto washing facilities
- b. Auto or other vehicle service and/or repair operations, including body shops
- c. Chemical and bacteriological laboratories
- d. Storage of chemicals, including herbicides, pesticides, or fertilizers other than amounts normally associated with individual houses or farms.
- e. Commercial painting, wood preserving, and furniture stripping.
- f. Dry cleaning establishment
- g. Electronic circuit assembly
- h. Laundromats, unless connected to sanitary sewer Metal plating, finishing, or polishing
- j. Petroleum or petroleum product storage and/or sale except storage on same property as use occurs and except for storage and sale associated with marinas
- k. Photographic processing
- I. Printing

G. Parking Areas:

(section 14, Table 1, #27, Page 9)

- 1. Parking areas shall meet the shoreline and tributary stream setback for structures for the district in which such areas are located, except for those serving public boat launching facilities, where they shall be no less than fifty (50) feet, horizontal distance, from the shoreline or tributary stream if the Planning Board finds that no other reasonable alternative exists further from the shoreline or tributary stream.
- 2. Parking areas shall be adequately sized for the proposed use and shall be designed to prevent storm water runoff from flowing directly into a water body, tributary stream, or wetland and where feasible, to retain all runoff on-site.
- 3. In determining the appropriate size of proposed parking facilities, the following shall apply:
 - a. Typical parking space: Approximately ten (10') feet wide and twenty (20') feet long, except that parking spaces for a vehicle and boat trailer shall be forty (40') feet long.
 - b. Internal travel aisles shall be twenty (20') feet wide.

H. Roads and Driveways:

(Section 14, Table 1, #26, Page 9) the following standards shall apply to the construction of roads and/or driveways and drainage systems, culverts, and other related features.

1. Roads and driveways shall be set back at least one hundred (100') feet horizontal distance from the normal high-water line of a great pond classified GPA or a river that flows to a great pond classified GPA, and seventy-five (75') feet horizontal distance from the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland unless no reasonable alternative exists as determined by the Planning Board. If no other reasonable alternative exists, the road and/or driveway setback requirement shall be no

SHORE LAND ZONING Page 23 of 66

less than fifty feet (50'), horizontal distance, upon clear showing by the applicant that appropriate techniques will be used to prevent sedimentation of the water body, tributary stream, or wetland.

On slopes of greater than twenty (20%) percent the road and/or driveway setback shall be increased by ten (10') feet, horizontal distance, for each five (5%) percent increase in slope above twenty (20%) percent.

Section 15 H. 1. does not apply to approaches to water crossings or to roads or driveways that provide access to permitted structures and facilities located nearer to the shoreline or tributary stream due to an operational necessity, excluding temporary docks for recreational uses. Roads and driveways providing access to permitted structures within the setback area shall comply fully with the requirements of Section 15(H) (1) except for that portion of the road or driveway necessary for direct access with the structure.

2. Existing public roads may be expanded within the legal road right-of-way regardless of their setback from a water body, tributary stream, or wetland.

New roads and driveways are prohibited in a Resource Protection District except that the Planning Board may grant a permit to construct a road or driveway to provide access to permitted uses within the district. A road or driveway may also be approved by the Planning Board in a Resource Protection District, upon a finding that no reasonable alternative route or location is available outside the district. When a road or driveway is permitted in a Resource Protection District the road and/or driveway shall be set back as far as practicable from the normal high-water line of a water body, tributary stream, or upland edge of a wetland.

Road and driveway banks shall be no steeper than a slope of two (2) horizontal to one (1) vertical and shall be graded and stabilized in accordance with the provisions for erosion and sedimentation control contained in Section 15Q.

- . Road and driveway grades shall be no greater than ten (10%) percent except for segments of less than two hundred (200') feet.
- In order to prevent road and driveway surface drainage from directly entering water bodies, tributary streams or wetlands, roads and driveways shall be designed, constructed, and maintained to empty onto an un-scarified buffer strip at least fifty (50') feet plus two times the average slope in width between the outflow point of the ditch or culvert and the normal high-water line of a water body, tributary stream, or upland edge of a wetland. Surface drainage, which is directed to an un-scarified buffer strip, shall be diffused, or spread out to promote infiltration of the runoff and to minimize channeled flow of the drainage through the buffer strip.
- . Ditch relief (cross drainage) culverts, drainage dips and water turnouts shall be installed in a manner effective in directing drainage onto un-scarified buffer strips before the flow gains sufficient volume or head to erode the road, driveway, or ditch. To accomplish this, the following shall apply:

a. Ditch relief culverts, drainage dips and associated water turnouts shall be spaced along the road or driveway at intervals no greater than indicated in the following table:

Road Grade (percent)	Spacing (Feet)
0-2	250
3-5	200-135
6-10	100-80
11-15	80-60
16-20	60-45
21+	40

- b. Drainage dips may be used in place of ditch relief culverts only where the grade is ten (10%) percent or less.
- c. On sections having slopes greater than ten (10%) percent, ditch relief culverts shall be places at approximately a thirty degrees (30) angle down slope from a line perpendicular to the centerline of the road or driveway.
- d. Ditch relief culverts shall be sufficiently sized and properly installed in order to allow for effective functioning and their inlet and outlet ends shall be stabilized with appropriate materials.
- . Ditches, culverts, bridges, dips, water turnouts and other storm water runoff control installations associated with roads and driveways shall be maintained on a regular basis to assure effective functioning.

I. Signs:

Section A, Table 1, #31, Page 10) the following provisions shall govern the use of all signs in the shoreland zone.

- 1. Signs relating to goods and services sold on the premises shall be allowed, provided such signs shall not exceed six (6) square feet in area, and shall not exceed two (2) signs per premises. In the LRR1 (Limited Residential-Recreation Subzone I (Commercial) District), however, such signs shall not exceed sixteen (16) square feet in area. Signs relating to goods and services not sold or rendered on the premises shall be prohibited.
- 2 Name signs are allowed, provided such signs shall not exceed two (2) signs per premise, and shall not exceed twelve (12) square feet in the aggregate.
- 3. Residential users may display a single sign not over three (3) square feet in area relating to the sale, rental, or lease of the premises.
- 4. Signs relating to trespassing and hunting shall be allowed without restriction as to number, provided that no such sign shall exceed two (2) square feet.

SHORE LAND ZONING

- 5. Signs relating to public safety shall be allowed without restriction.
- 6. No sign shall extend higher than twenty (20') feet above the ground.
- 7. Signs may be illuminated only by shielded, non-flashing lights.

J. Storm Water Runoff:

- 1. All new construction and development shall be designed to minimize storm water runoff from the site in excess of the natural pre-development conditions. Where possible, existing natural runoff control features, such as berms, swales, terraces, and wooded areas, shall be retained in order to reduce runoff and encourage infiltration of storm waters.
- 2. Storm water runoff control systems shall be maintained as necessary to ensure proper functioning.

K. Septic Waste Disposal: (Section 14, Table 1, #20)

All subsurface sewage disposal facilities shall be installed in conformance with the State of Maine Subsurface Wastewater Disposal Rules, and the following:

- **a.** clearing or removal of woody vegetation necessary to site a new system and any associated fill extensions, shall not extend closer than seventy-five (75) feet, horizontal distance, from the normal high-water line of a water body or the upland edge of a wetland
- **b.** holding tank is not allowed for a first-time residential use in the shore land zone.
- 2. A person purchasing or transferring ownership of a shoreline property utilizing a subsurface wastewater disposal system shall, prior to purchase or transfer, have the system inspected by a person certified by the Maine Department of health and Human Services (DHHS) Wastewater program, except that if weather conditions prohibit the inspection of the system prior to the purchase, the inspection must be performed within 9 months after transfer of the property.
 - **a.** A copy of the inspection report shall be provided to the Smithfield Code Enforcement Officer within 30 days of its being completed.
 - i. If a property contains a holding tank, all pumping records from the prior 12 months shall also be submitted with the septic report.
 - **b.** If the Inspection finds that the system is malfunctioning, the following actions shall be taken:
 - **i.** The Town of Smithfield Plumbing Inspector shall be notified within 30 days of the inspection date by the system owner.
 - **ii.** The system shall be remediated or replaced and brought into compliance with the State of Maine Subsurface wastewater disposal rules within 60 days of the initial inspection, and then re-inspected by a certified septic inspector.
 - 1. If the second inspection continues to find the system to not be in compliance, all use of the system shall cease immediately until the system is found to be in compliance, as determined in writing by a certified septic inspector.
 - **iii.** A copy of the final inspection report shall be provided to the Smithfield Code Enforcement Officer within 30 days of receipt.

SHORE LAND ZONING Page 26 of 66

c. Any property containing a legally existing septic system which was installed within the previous three (3) years from the date of transfer shall be exempt from the above inspection requirement.

L. Essential Services:

(Section 14, Table 1, #21, Page 8)

- 1. Where feasible, the installation of essential services shall be limited to existing public ways and existing service corridors.
- 2. The installation of essential services, other than road-side distribution lines, is not allowed in a Resource Protection District or Stream Protection District, except to provide services to a permitted use within said district, or except where the applicant demonstrates that no reasonable alternative exists. Where allowed, such structures and facilities shall be located so as to minimize any adverse impacts on surrounding uses and resources, including visual impacts.
- 3. Damaged or destroyed public utility transmission and distribution lines, towers and related equipment may be replaced or reconstructed without a permit.

M. Mineral Exploration and Extraction:

(Section 14, Table 1, #9 & #10) Mineral exploration to determine the nature or extent of mineral resources shall be accomplished by hand sampling, test boring, or other methods which create minimal disturbance of less than one hundred (100) square feet of ground surface. A permit from the Code Enforcement Officer shall be required for mineral exploration, which exceeds the above limitations. All excavations, including test pits and holes, shall be immediately capped, filled, or secured by other equally effective measures, to restore disturbed areas and to protect the public health and safety.

Mineral extraction may be permitted under the following conditions:

1. A reclamation plan shall be filed with, and approved, by the Planning Board before a permit is granted. Such plan shall describe in detail, procedures to be undertaken to fulfill the requirements of Section 15 (M) 3 below.

No part of any extraction operation, including drainage and runoff control features, shall be permitted within one hundred (100') feet, horizontal distance, of the normal high-water line of a great pond classified GPA or a river flowing into a great pond classified GPA, and within seventy-five (75') feet, horizontal distance, of the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland. Extraction operations shall not be permitted within fifty (50), horizontal distance, of any property line, without written permission of the owner of such adjacent property.

- . Within twelve (12) months following the completion of extraction operations at any extraction site, which operations shall be deemed complete when less than one hundred (100) cubic yards of materials are removed in any consecutive twelve (12) month period, ground levels and grades shall be established in accordance with the following:
 - a. All debris, stumps, and similar materials shall be removed for disposal in an approved

SHORE LAND ZONING Page 27 of 66

location or shall be buried on-site. Only materials generated on-site may be buried or covered on-site.

- b. The final graded slope shall be two and one-half to one (2 1/2:1) slope or flatter.
- c. Topsoil or loam shall be retained to cover all disturbed land areas, which shall be reseeded and stabilized with vegetation native to the area. Additional topsoil or loam shall be obtained from off-site sources if necessary to complete the stabilization project.
- . In keeping with the purpose of this Ordinance, the Planning Board may impose such conditions as are necessary to minimize the adverse impacts associated with mineral extraction operations on surrounding uses and resources.

N. Agriculture:

(Section 14, Table 1, #13)

- 1. All spreading of manure shall be accomplished in conformance with the *Manure Utilization Guidelines* published by the Maine Department of Agriculture on November 1, 2001, and the Nutrient Management Law (7 M.R.S.A. sections 4201-4209).
- 2. Manure shall not be stored or stockpiled within one hundred (100') feet, horizontal distance of a great pond classified GPA or a river flowing to a great pond classified GPA, or within seventy-five (75') feet, horizontal distance, of other water bodies, tributary streams, or wetlands. All manure storage areas within the shoreland zone must be constructed or modified such that the facility produces no discharge of effluent or contaminated storm water.
- 3. Agricultural activities involving tillage of soil greater than forty thousand (40,000) square feet in surface area, within the shoreland zone shall require a Conservation Plan to be filed with the Planning Board. Non-conformance with the provisions of said Plan shall be considered to be a violation of this ordinance.
- 4. There shall be no new tilling of soil within one-hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance, from other water bodies and coastal wetlands; nor within twenty-five (25) feet, horizontal distance, of tributary streams and freshwater wetlands. Operations in existence on the effective date of this ordinance and not in conformance with this provision may be maintained.
- 4. Newly established livestock grazing areas shall not be permitted within one hundred (100) feet, horizontal distance, of the normal high-water line of a great pond classified GPA; within seventy-five (75) feet, horizontal distance, of other water bodies and coastal wetlands, nor; within twenty-five (25) feet, horizontal distance, of tributary streams, and freshwater wetlands. Livestock grazing associated with ongoing farm activities, and which are not in conformance with the above setback provisions may continue, provided that such grazing is conducted in accordance with a Conservation Plan.

SHORE LAND ZONING Page 28 of 66

5.

O. Timber Harvesting:

(Section 14, Table 1, #4)

- 1. Within the strip of land extending seventy-five feet (75') inland from the normal high-water line in a shoreland area zoned for Resource Protection abutting a great pond there shall be no timber harvesting, except to remove safety hazards.
- 2. Except in areas as described in Paragraph 1 above, timber harvesting shall conform to the following provisions:
 - a. Selective cutting of not more than forty (40%) percent of the total volume of trees four (4") inches or more in diameter measured at 4½ feet above ground level on any lot in any ten (10) year period is permitted. In addition:

Within one hundred (100') feet, horizontal distance, of the normal high-water line of a great pond and within seventy-five (75') feet, horizontal distance, of the normal high-water line of other water bodies, tributary streams, or the upland edge of a wetland, there shall be no clear-cut openings and a well distributed stand of trees and other vegetation, including existing ground cover, shall be maintained.

At distances greater than one hundred (100') feet, horizontal distance, of a great pond or a river flowing to a great pond and greater then seventy-five (75') feet, horizontal distance, of the normal high-water mark of other water bodies or the upland edge of a wetland, harvesting operations shall not create a single clear-cut openings greater than ten thousand (10,000) square feet in the forest canopy. Where such openings exceed five thousand (5,000) square feet they shall be at least one hundred (100') feet apart. Such clear-cut openings shall be included in the calculation of total volume removal. For the purposes of these standards, volume may be considered to be equivalent to basal area.

Timber harvesting operations exceeding the 40% limitation in paragraph (a.) above may be allowed by the planning board upon a clear showing, including a forest management plan signed by a Maine licensed professional forester, that such an exception is necessary for good forest management and will be carried out in accordance with the purposes of this Ordinance. The planning board shall notify the Commissioner of the Department of Environmental Protection of each exception allowed within 14 days of the planning board's decision.

- b. No accumulation of slash shall be left within fifty feet (50') of the normal high-water line of a water body. In all other areas slash, shall either be removed or disposed of in such a manner that it lies on the ground and no part thereof extends more than four (4') feet above the ground. Any debris that falls below the normal high-water line of a water body shall be removed.
- c. Timber harvesting equipment shall not use stream channels as travel routes except when:

- (1) Surface waters are frozen: and
- (2) The activity will not result in any ground disturbance.
- d. All crossings of flowing water shall require a bridge or culvert, except in areas with low banks and channel beds which are composed of gravel, rock or similar hard surface which would not be eroded or otherwise damaged.
- e. Skid trail approaches to water crossings shall be located and designed so as to prevent water runoff from directly entering the water body or tributary stream. Upon completion of timber harvesting, temporary bridges and culverts shall be removed and areas of exposed soil re-vegetated.
- f. Except for water crossings, skid trails and other sites where the operation of machinery used in timber harvesting results in the exposure of mineral soil shall be located such that an unsatisfied strip of vegetation of at least seventy-five (75') feet in width for slopes up to ten (10%) percent shall be retained between the exposed mineral soil and the normal high-water mark of a water body or upland edge of a wetland. For each 10% increase in slope, the un-scarified strip shall be increased by twenty 20 feet horizontal distance. The provisions of this paragraph apply only to a face sloping toward the water body or wetland, provided that no portion of such mineral soil or a back face shall be closer than twenty-five feet (25') from the normal high-water line of a water body or upland edge of a wetland.

O-1. Timber Harvesting:

(Section 14, Table 1, #4) Statewide Standards [Effective on effective date established in Section 4(B)]

- (1) Shoreline integrity and sedimentation. Persons conducting timber harvesting and related activities must take reasonable measures to avoid the disruption of shoreline integrity, the occurrence of sedimentation of water, and the disturbance of water body and tributary stream banks, water body and tributary stream channels, shorelines, and soil lying within water bodies, tributary streams, and wetlands. If, despite such precautions, the disruption of shoreline integrity, sedimentation of water, or the disturbance of water body and tributary stream banks, water body and tributary stream channels, shorelines, and soil lying within water bodies, tributary streams and wetlands occurs, such conditions must be corrected.
- (2) Slash treatment. Timber harvesting and related activities shall be conducted such that slash or debris is not left below the normal high-water line of any water body or tributary stream, or the upland edge of a wetland. Section O-1(1)(2) does not apply to minor, incidental amounts of slash that result from timber harvesting and related activities otherwise conducted in compliance with this section.
 - (a) Slash actively used to protect soil from disturbance by equipment or to stabilize exposed soil, may be left in place, provided that no part thereof extends more than 4 feet above the ground.
 - (b) Adjacent to rivers and wetlands:

SHORE LAND ZONING Page 30 of 66

- (I) No accumulation of slash shall be left within 50 feet, horizontal distance, of the normal high-water line or upland edge of a wetland; and
- (ii) Between 50 feet and 250 feet, horizontal distance, of the normal high-water line or upland edge of a wetland, all slash larger than 3 inches in diameter must be disposed of in such a manner that no part thereof extends more than 4 feet above the ground.
- (3) Timber harvesting and related activities must leave adequate tree cover and shall be conducted so that a well-distributed stand of trees is retained. This requirement may be satisfied by following one of the following three options:
 - (a) Option 1 (40% volume removal), as follows:
 - Harvesting of no more than 40 percent of the total volume on each acre of trees 4.5 inches DBH or greater in any 10-year period is allowed. Volume may be considered to be equivalent to basal area;
 - (ii) A well-distributed stand of trees which is wind firm, and other vegetation including existing ground cover, must be maintained; and,
 - (iii) Within 75 feet, horizontal distance, of the normal high-water line of rivers and streams, and within 75 feet, horizontal distance, of the upland edge of a wetland, there must be no cleared openings. At distances greater than 75 feet, horizontal distance, of the normal high-water line of a river or upland edge of a wetland, timber harvesting, and related activities must not create single cleared openings greater than 14,000 square feet in the forest canopy. Where such openings exceed 10,000 square feet, they must be at least 100 feet, horizontal distance, apart. Such cleared openings will be included in the calculation of total volume removal. Volume may be considered equivalent to basal area.
 - (b) Option 2 (60 square foot basal area retention), as follows:
 - (I) The residual stand must contain an average basal area of at least 60 square feet per acre of woody vegetation greater than or equal to 1.0-inch DBH, of which 40 square feet per acre must be greater than or equal to 4.5 inches DBH;
 - (ii) A well-distributed stand of trees which is wind firm, and other vegetation including existing ground cover, must be maintained; and,
 - (iii)Within 75 feet, horizontal distance, of the normal high-water line of water bodies and within 75 feet, horizontal distance, of the upland edge of wetlands, there must be no cleared openings. At distances greater than 75 feet, horizontal distance, of the normal high-water line of a river, or upland edge of a wetland, timber harvesting, and related activities must not create single cleared openings greater than 14,000 square feet in the forest canopy. Where such openings exceed 10,000 square feet, they must be at least 100 feet, horizontal distance, apart. Such cleared openings will be

SHORE LAND ZONING Page 31 of 66

included in the calculation of the average basal area. Volume may be considered equivalent to basal area.

(c) Option 3 (Outcome based), which requires: An alternative method proposed in an application, signed by a Licensed Forester, or certified wildlife professional, submitted by the landowner or designated agent to the State of Maine Department of Conservation's Bureau of Forestry (Bureau) for review and approval, which provides equal or better protection of the shoreland area than this rule.

Landowners must designate on the Forest Operations Notification form required by 12 M.R.S.A. chapters 805, subchapter 5 which option they choose to use. If landowners choose Option 1 or Option 2, compliance will be determined solely on the criteria for the option chosen. If landowners choose Option 3, timber harvesting, and related activities may not begin until the Bureau has approved the alternative method.

The Bureau may verify that adequate tree cover and a well-distributed stand of trees is retained through a field procedure that uses sample plots that are located randomly or systematically to provide a fair representation of the harvest area.

- (4) Skid trails, yards, and equipment operation. This requirement applies to the construction, maintenance and use of skid trails and yards in shoreland areas.
 - (a) Equipment used in timber harvesting and related activities shall not use river, stream, or tributary stream channels as travel routes except when surface waters are frozen and snow covered, and the activity will not result in any ground disturbance.
 - (b) Skid trails and yards must be designed and constructed to prevent sediment and concentrated water runoff from entering a water body, tributary stream, or wetland. Upon termination of their use, skid trails and yards must be stabilized.

(c) Setbacks:

- (I) Equipment must be operated to avoid the exposure of mineral soil within 25 feet, horizontal distance, of any water body, tributary stream, or wetland. On slopes of 10 percent or greater, the setback for equipment operation must be increased by 20 feet, horizontal distance, plus an additional 10 feet, horizontal distance, for each 5 percent increase in slope above 10 percent. Where slopes fall away from the resource, no increase in the 25-foot setback is required.
- (ii) Where such setbacks are impracticable, appropriate techniques shall be used to avoid sedimentation of the water body, tributary stream, or wetland. Such techniques may include the installation of sump holes or settling basins, and/or the effective use of additional ditch relief culverts and ditch water turnouts placed to avoid sedimentation of the water body, tributary stream, or wetland. If, despite such precautions, sedimentation or the disruption of shoreline integrity occurs, such conditions must be corrected.
- (5) Land Management Roads. Land management roads, including approaches to crossings of water bodies, tributary stream channels, and wetlands, ditches, and other related structures,

SHORE LAND ZONING Page 32 of 66

must be designed, constructed, and maintained to prevent sediment and concentrated water runoff from directly entering the water body, tributary stream, or wetland. Surface water on or adjacent to water crossing approaches must be diverted through vegetative filter strips to avoid sedimentation of the watercourse or wetland. Because roadside ditches may not extend to the resource being crossed, vegetative filter strips must be established in accordance with the setback requirements in Section 15(O-1)(7) of this rule.

- (a) Land management roads and associated ditches, excavation, and fill must be set back at least:
 - (i) 100 feet, horizontal distance, from the normal high-water line of a river or wetland;
 - (ii) 50 feet, horizontal distance, from the normal high-water line of streams; and
 - (iii) 25 feet, horizontal distance, from the normal high-water line of tributary streams.
- (b) The minimum 100 foot setback specified in Section 15(O-1)(5)(a)(i) above may be reduced to no less than 50 feet, horizontal distance, and the 50 foot setback specified in Section 15(O-1)(5)(a)(ii) above may be reduced to no less than 25 feet, horizontal distance, if, prior to construction, the landowner or the landowner's designated agent demonstrates to the Planning Board's satisfaction that no reasonable alternative exists and that appropriate techniques will be used to prevent sedimentation of the water body, tributary stream, or wetland. Such techniques may include, but are not limited to, the installation of settling basins, and/or the effective use of additional ditch relief culverts and turnouts placed to avoid sedimentation of the water body, tributary stream, or wetland. If, despite such precautions, sedimentation or the disruption of shoreline integrity occurs, such conditions must be corrected.
- (c) On slopes of 10 percent or greater, the land management road setback must be increased by at least 20 feet, horizontal distance, plus an additional 10 feet, horizontal distance, for each 5 percent increase in slope above 10 percent.
- (d) Ditches, culverts, bridges, dips, water turnouts and other water control installations associated with roads must be maintained on a regular basis to assure effective functioning. Drainage structures shall deliver a dispersed flow of water into an un-scarified filter strip no less than the width indicated in the setback requirements in Section 15(O-1)(7). Where such a filter strip is impracticable, appropriate techniques shall be used to avoid sedimentation of the water body, tributary stream, or wetland. Such techniques may include the installation of sump holes or settling basins, and/or the effective use of additional ditch relief culverts and ditch water turnouts placed to avoid sedimentation of the water body, tributary stream, or wetland. If, despite such precautions, sedimentation or the disruption of shoreline integrity occurs, such conditions must be corrected.
- (e) Road closeout and discontinuance. Maintenance of the water control installations required in Section 15(O-1) (5) (e) must continue until use of the road is discontinued and the road is put to bed by effective installation of water bars or other adequate road drainage structures at appropriate intervals, constructed to avoid surface water flowing over or under

the water bar, and extending a sufficient distance beyond the traveled way so that water does not reenter the road surface.

- (g) Upgrading existing roads. Extension or enlargement of presently existing roads must conform to the provisions of Section 15(O-1). Any nonconforming existing road may continue to exist and to be maintained, as long as the nonconforming conditions are not made more nonconforming.
- (h) Exception. Extension or enlargement of presently existing roads need not conform to the setback requirements of Section 15(O-1)(5)(a) if, prior to extension or enlargement, the landowner or the landowner's designated agent demonstrates to the Planning Board's satisfaction that no reasonable alternative exists and that appropriate techniques will be used to prevent sedimentation of the water body, tributary stream, or wetland. Such techniques may include, but are not limited to, the installation of settling basins, and/or the effective use of additional ditch relief culverts and turnouts placed to avoid sedimentation of the water body, tributary stream, or wetland. If, despite such precautions, sedimentation or the disruption of shoreline integrity occurs, such conditions must be corrected.
- (i) Additional measures. In addition to the foregoing minimum requirements, persons undertaking construction and maintenance of roads and river, stream and tributary stream crossings must take reasonable measures to avoid sedimentation of surface waters.
- (6) Crossings of water bodies. Crossings of rivers, streams, and tributary streams must allow for fish passage at all times of the year, must not impound water, and must allow for the maintenance of normal flows.
 - (a) Determination of flow. Provided they are properly applied and used for the circumstances for which they are designed, methods including but not limited to the following are acceptable as a means of calculating the 10 year and 25-year frequency water flows and thereby determining water crossing sizes as required in Section 15(O-1): The United States Geological Survey (USGS) Methods; specifically: Hodgkin's, G. 1999. Estimating the Magnitude of Peak Flows for Streams in Maine for Selected Recurrence Intervals. U.S. Geological Survey. Water Resources Investigations Report 99-4008. 45 pp.
 - (b) Upgrading existing water crossings. Extension or enlargement of presently existing water crossings must conform to the provisions of Section 15(O-1). Any nonconforming existing water crossing may continue to exist and be maintained, as long as the nonconforming conditions are not made more nonconforming; however, any maintenance or repair work done below the normal high-water line must conform to the provisions of Section 15(O-1).
 - (c) Other Agency Permits. Any timber harvesting and related activities involving the design, construction, and maintenance of crossings on water bodies other than a river, stream or tributary stream may require a permit from the Land Use Regulation Commission, the Department of Environmental Protection, or the US Army Corps of Engineers.
 - (d) Any timber harvesting and related activities involving the design, construction, and maintenance of crossings of wetlands identified by the Department of Inland Fisheries and

SHORE LAND ZONING Page 34 of 66

Wildlife as essential wildlife habitat require prior consultation with the Department of Inland Fisheries and Wildlife.

- (e) Notice to Bureau of Forestry. Written notice of all water crossing construction maintenance, alteration, and replacement activities in shoreland areas must be given to the Bureau prior to the commencement of such activities. Such notice must contain all information required by the Bureau, including:
 - (i) a map showing the location of all proposed permanent crossings;
 - (ii) the GPS location of all proposed permanent crossings;
 - (iii) for any temporary or permanent crossing that requires a permit from state or federal agencies, a copy of the approved permit or permits; and
 - (iv) a statement signed by the responsible party that all temporary and permanent crossings will be constructed, maintained, and closed out in accordance with the requirements of this Section.
- (f) Water crossing standards. All crossings of rivers require a bridge or culvert sized according to the requirements of Section 15(O-1) (6) (g)) below. Streams and tributary streams may be crossed using temporary structures that are not bridges or culverts provided:
 - (i) concentrated water runoff does not enter the stream or tributary stream;
 - (ii) sedimentation of surface waters is reasonably avoided;
 - (iii) there is no substantial disturbance of the bank, or stream or tributary stream channel;
 - (iv) fish passage is not impeded; and,
 - (v) water flow is not unreasonably impeded.

Subject to Section 15(O-1)(6)(f)(i-v) above, skid trail crossings of streams and tributary streams when channels of such streams and tributary streams are frozen and snow-covered or are composed of a hard surface which will not be eroded or otherwise damaged are not required to use permanent or temporary structures.

- (g) Bridge and Culvert Sizing. For crossings of river, stream and tributary stream channels with a bridge or culvert, the following requirements apply:
 - (i) Bridges and culverts must be installed and maintained to provide an opening sufficient in size and structure to accommodate 10-year frequency water flows or with a cross-sectional area at least equal to 2 1/2 times the cross-sectional area of the river, stream, or tributary stream channel.
 - (ii) Temporary bridge and culvert sizes may be smaller than provided in Section 15(O-1) (6)(g)(i) if techniques are effectively employed such that in the event of culvert or bridge failure, the natural course of water flow is maintained, and sedimentation of the water body or tributary stream is avoided. Such crossing structures must be at least as wide as the channel and placed above the normal high-water line. Techniques may include, but are not limited to, the effective use of any, a combination of, or all of the following:
 - 1. use of temporary skidder bridges;
 - 2. removing culverts prior to the onset of frozen ground conditions;
 - 3. using water bars in conjunction with culverts:

- 4. using road dips in conjunction with culverts.
- (iii) Culverts utilized in river, stream and tributary stream crossings must:
 - 1. be installed at or below river, stream, or tributary stream bed elevation;
 - 2. be seated on firm ground;
 - 3. have soil compacted at least halfway up the side of the culvert;
 - 4. be covered by soil to a minimum depth of 1 foot or according to the culvert manufacturer's specifications, whichever is greater; and
 - 5. have a headwall at the inlet end which is adequately stabilized by riprap or other suitable means to reasonably avoid erosion of material around the culvert.
- (iv)River, stream and tributary stream crossings allowed under Section 15(O-1) but located in flood hazard areas (i.e. A zones) as identified on a community's Flood Insurance Rate Maps (FIRM) or Flood Hazard Boundary Maps (FHBM), must be designed and constructed under the stricter standards contained in that community's National Flood Insurance Program (NFIP). For example, a water crossing may be required to pass a 100-year flood event.
- (v) Exception. Skid trail crossings of tributary streams within shoreland areas and wetlands adjacent to such streams may be undertaken in a manner not in conformity with the requirements of the foregoing subsections provided persons conducting such activities take reasonable measures to avoid the disruption of shoreline integrity, the occurrence of sedimentation of water, and the disturbance of stream banks, stream channels, shorelines, and soil lying within ponds and wetlands. If, despite such precautions, the disruption of shoreline integrity, sedimentation of water, or the disturbance of stream banks, stream channels, shorelines, and soil lying within ponds and wetlands occurs, such conditions must be corrected.
- (h) Skid trail closeout. Upon completion of timber harvesting and related activities, or upon the expiration of a Forest Operations Notification, whichever is earlier, the following requirements apply:
 - (i) Bridges and culverts installed for river, stream and tributary stream crossings by skid trails must either be removed, and areas of exposed soil stabilized or upgraded to comply with the closeout standards for land management roads in Section15(O-1)(6)(i) below.
 - (ii) Water crossing structures that are not bridges or culverts must either be removed immediately following timber harvesting and related activities, or, if frozen into the river, stream or tributary stream bed or bank, as soon as practical after snowmelt.
 - (iii) River, stream and tributary stream channels, banks, and approaches to crossings of water bodies and tributary streams must be immediately stabilized on completion of harvest, or if the ground is frozen and/or snow-covered, as soon as practical after snowmelt. If, despite such precautions, sedimentation or the disruption of shoreline integrity occurs, such conditions must be corrected.

SHORE LAND ZONING Page 36 of 66

- (i) Land management road closeout. Maintenance of the water control features must continue until use of the road is discontinued and the road is put to bed by taking the following actions:
 - (i) Effective installation of water bars or other adequate road drainage structures at appropriate intervals, constructed to reasonably avoid surface water flowing over or under the water bar, and extending sufficient distance beyond the traveled way so that water does not reenter the road surface.
 - (ii) Water crossing structures must be appropriately sized or dismantled and removed in a manner that reasonably avoids sedimentation of the water body or tributary stream.
 - (iii) Any bridge or water crossing culvert in roads to be discontinued shall satisfy one of the following requirements:
 - 1. it shall be designed to provide an opening sufficient in size and structure to accommodate 25-year frequency water flows;
 - 2. it shall be designed to provide an opening with a cross-sectional area at least 3 1/2 times the cross-sectional area of the river, stream, or tributary stream channel; or
 - 3. it shall be dismantled and removed in a fashion to reasonably avoid sedimentation of the river, stream, or tributary stream.
 - If, despite such precautions, sedimentation or the disruption of shoreline integrity occurs, such conditions must be corrected.

(7) Slope Table

Filter strips, skid trail setbacks, and land management road setbacks must be maintained as specified in Section 15(O-1), but in no case shall be less than shown in the following table.

Average slope of land between exposed mineral Widths of strip between exposed soil and the shoreline (percent) mineral soil and shoreline (feet along surface of the ground)

0	25
10	45
20	65
30	85
40	105
50	125
60	145
70	165

P. Clearing or Removal of Vegetation for Activities

Other Than Timber Harvesting (Section 14, Table 1, #5)

1. In a Resource Protection District abutting a great pond, there shall be no cutting of vegetation within the strip of land extending seventy-five (75') feet, horizontal distance, and inland from the normal high-water mark, except to remove safety hazards.

SHORE LAND ZONING Page 37 of 66

Elsewhere, in any Resource Protection District the cutting or removal of vegetation shall be limited to that which is necessary for uses expressly authorized in that district.

- 2. Except in areas as described in Section P. 1. above, and except to allow for the development of permitted uses, within a strip of land extending one hundred (100') feet, horizontal distance, inland from the normal high water line of a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75') feet, horizontal distance, from any other water body, tributary stream, or the upland edge of a wetland, a buffer strip of vegetation shall be preserved as follows:
 - a. There shall be no cleared opening greater than two hundred-fifty (250) square feet in the forest canopy (or other existing woody vegetation if a forested canopy is not present) as measured from the outer limits of the tree or shrub crown. However, a footpath not to exceed six (6') feet in width as measured between tree trunks and/or shrub stems is allowed provided that a cleared line of sight to the water through the buffer strip is not created.
 - b. Selective cutting of trees within the buffer strip is allowed provided that a well-distributed stand of trees and other natural vegetation is maintained. For the purposes of Section 15(P)(2)(b) a "well-distributed stand of trees" adjacent to a great pond classified GPA or a river or stream flowing to a great pond classified GPA, shall be defined as maintaining a rating score of 24 or more in each twenty-five (25') foot by 50-foot rectangular (1250 square feet) area as determined by the following rating system.

Adjacent to other water bodies, tributary streams, and wetlands, a "well-distributed stand of trees" is defined as maintaining a minimum rating score of 16 per 25-foot by 50-foot rectangular area.

The following shall govern in applying this point system:

- (i) The 25-foot by 50-foot rectangular plots must be established were the landowner or lessee proposes clearing within the required buffer;
- (ii) Each successive plot must be adjacent to, but not overlap a previous plot;
- (iii) Any plot not containing the required points must have no vegetation removed except as otherwise allowed by this Ordinance;
- (iv) Any plot containing the required points may have vegetation removed down to the minimum points required or as otherwise allowed by is Ordinance:
- (v) Where conditions permit, no more than 50% of the points on any 25-foot by 50-foot rectangular area may consist of trees greater than 12 inches in diameter.

For the purposes of Section 15(P)(2)(b) "other natural vegetation" is defined as retaining existing vegetation under three (3) feet in height and other ground cover and retaining at least five (5) saplings less than two (2) inches in diameter at four and one half (4 $\frac{1}{2}$) feet above ground level for each 25-foot by 50-foot rectangle area. If five saplings do not exist, no woody stems less than two (2) inches in diameter can be removed until 5 saplings have been recruited into the plot.

Notwithstanding the above provisions, no more than 40% of the total volume of trees four inches or more in diameter, measured at 4½ feet above ground level may be removed in any ten 10-year period.

- c. In order to protect water quality and wildlife habitat, existing vegetation under three (3') feet in height and other ground cover, including leaf litter and forest duff layer, shall not be cut, covered, or removed, except to provide for a foot path or other permitted uses as described in Section 15 (P) paragraphs 2 and 2a above.
- d. Pruning of tree branches, on the bottom 1/3 of tree is allowed.
- e. In order to maintain a buffer strip of vegetation, when the removal of storm damaged, diseased, unsafe, or dead trees results in the creation of cleared openings, these openings shall be replanted with native tree species unless existing new tree growth is present.

Section 15 (P) (2) does not apply to those portions of public recreational facilities adjacent to public swimming areas, as long as cleared areas are limited to the minimum area necessary.

3. At distances greater than one hundred (100') feet, horizontal distance, from a great pond classified GPA or a river flowing to a great pond classified GPA, and seventy-five (75') feet, horizontal distance, from the normal high-water line of any other water body, tributary stream, or the upland edge of a wetland, there shall be allowed on any lot, in any ten (10) year period, selective cutting of not more than forty (40%) percent of the volume of trees four (4") inches or more in diameter, measured four and one-half (4½) feet above ground level. Tree removal in conjunction with the development of permitted uses shall be included in the forty (40%) percent calculation. For the purposes of these standards, volume may be considered to be equivalent to basal area.

In no event shall cleared openings for any purpose, including, but not limited to, principal and accessory structures, driveways, and sewage disposal areas, exceed in the aggregate, twenty-five (25%) percent of the lot area or ten thousand (10,000) square feet, whichever is greater, including land previously developed. This provision shall not apply to the Limited Recreational Subzone I Zone.

- 4. Cleared openings may be maintained, but shall not be enlarged, except as allowed by this Ordinance.
- 5. Fields and other cleared openings, which have reverted to primarily shrubs, trees, or other woody vegetation, shall be regulated under the provisions of Section 15P.

Q. Hazard Trees, Storm-Damaged Trees, and Dead Tree Removal

(1) Hazard trees in the shoreland zone may be removed after receiving written approval from the Code Enforcement Officer if the following requirements are met:

- (a) Within the shoreline buffer, if the removal of a hazard tree results in a cleared opening in the tree canopy greater than two hundred and fifty (250) square feet, replacement with native tree species is required, unless there is new tree growth already present. New tree growth must be as near as practicable to where the hazard tree was removed and be at least two (2) inches in diameter, measured at four and one half (4.5) feet above the ground level. If new growth is not present, then replacement trees shall consist of native species and be at least four (4) feet in height and be no less than two (2) inches in diameter. Stumps may not be removed.
- (b) Outside of the shoreline buffer, when the removal of hazard trees exceeds forty (40) percent of the volume of trees four (4) inches or more in diameter, measured at four and one half (4.5) feet above ground level in any ten (10) year period, and/or results in cleared openings exceeding twenty-five (25) percent of the lot area within the shoreland zone, or ten thousand (10,000) square feet, whichever is greater, replacement with native tree species is required, unless there is new tree growth already present. New tree growth must be as near as practicable to where the hazard tree was removed and be at least two (2) inches in diameter, measured at four and one half (4.5) feet above the ground level. If new growth is not present, then replacement trees shall consist of native species and be at least two (2) inches in diameter, measured at four and one half (4.5) feet above the ground level.
- (c) The removal of standing dead trees, resulting from natural causes, is permissible without the need for replanting or a permit, as long as the removal does not result in the creation of new lawn areas, or other permanently cleared areas, and stumps are not removed. For the purposes of this provision dead trees are those trees that contain no foliage during the growing season.
- (d) The Code Enforcement Officer may require the property owner to submit an evaluation from a licensed forester or arborist before any hazard tree can be removed within the shoreland zone.
- (e) The Code Enforcement Officer may require more than a one–for-one replacement for hazard trees removed that exceed eight (8) inches in diameter measured at four and one half (4.5) feet above the ground level.
- (2) Storm-damaged trees in the shoreland zone may be removed without a permit after consultation with the Code Enforcement Officer if the following requirements are met:
 - (a) Within the shoreline buffer, when the removal of storm-damaged trees results in a cleared opening in the tree canopy greater than two hundred and fifty (250) square feet, replanting is not required, but the area shall be required to naturally revegetate, and the following requirements must be met:
 - (i) The area from which a storm-damaged tree is removed does not result in new lawn areas, or other permanently cleared areas;
 - (ii) Stumps from the storm-damaged trees may not be removed;

- (iii) Limbs damaged from a storm event may be pruned even if they extend beyond the bottom one-third (1/3) of the tree; and
- (iv) If after one growing season, no natural regeneration or regrowth is present, replanting of native tree seedlings or saplings is required at a density of one seedling per every eighty (80) square feet of lost canopy.
- (b) Outside of the shoreline buffer, if the removal of storm damaged trees exceeds 40% of the volume of trees four (4) inches or more in diameter, measured at four and one half (4.5) feet above the ground level in any ten (10) year period, or results, in the aggregate, in cleared openings exceeding 25% of the lot area within the shoreland zone or ten thousand (10,000) square feet, whichever is greater, and no natural regeneration occurs within one growing season, then native tree seedlings or saplings shall be replanted on a one-for-one basis.

R. Exemptions to Clearing and Vegetation Removal Requirements

The following activities are exempt from the clearing and vegetation removal standards set forth in Section 15(P), provided that all other applicable requirements of this chapter are complied with, and the removal of vegetation is limited to that which is necessary:

- (1) The removal of vegetation that occurs at least once every two (2) years for the maintenance of legally existing areas that do not comply with the vegetation standards in this chapter, such as but not limited to cleared openings in the canopy or fields. Such areas shall not be enlarged, except as allowed by this section. If any of these areas, due to lack of removal of vegetation every two (2) years, reverts back to primarily woody vegetation, the requirements of Section 15(P) apply;
- (2) The removal of vegetation from the location of allowed structures or allowed uses, when the shoreline setback requirements of section 15(B) are not applicable;
- (3) The removal of vegetation from the location of public swimming areas associated with an allowed public recreational facility;
- (4) The removal of vegetation associated with allowed agricultural uses, provided best management practices are utilized, and provided all requirements of section 15(N) are complied with;
- (5) The removal of vegetation associated with brownfields or voluntary response action program (VRAP) projects provided that the removal of vegetation is necessary for remediation activities to clean-up contamination on a site in a general development district, commercial fisheries and maritime activities district or other equivalent zoning district approved by the Commissioner that is part of a state or federal brownfields program or a voluntary response action program pursuant 38 M.R.S.A section 343-E, and that is located along:

- (a) A coastal wetland; or
- (b) A river that does not flow to a great pond classified as GPA pursuant to 38 M.R.S.A section 465-A.
- (6) The removal of non-native invasive vegetation species, provided the following minimum requirements are met:
 - (a) If removal of vegetation occurs via wheeled or tracked motorized equipment, the wheeled or tracked motorized equipment is operated and stored at least twenty-five (25) feet, horizontal distance, from the shoreline, except that wheeled or tracked equipment may be operated or stored on existing structural surfaces, such as pavement or gravel;
 - (b) Removal of vegetation within twenty-five (25) feet, horizontal distance, from the shoreline occurs via hand tools; and
 - (c) If applicable clearing and vegetation removal standards are exceeded due to the removal of non-native invasive species vegetation, the area shall be revegetated with native species to achieve compliance.
- (7) The removal of vegetation associated with emergency response activities conducted by the Department, the U.S. Environmental Protection Agency, the U.S. Coast Guard, and their agents.

S. Revegetation Requirements

When revegetation is required in response to violations of the vegetation standards set forth in Section 15(P), to address the removal of non- native invasive species of vegetation, or as a mechanism to allow for development that may otherwise not be permissible due to the vegetation standards, including removal of vegetation in conjunction with a shoreline stabilization project, the revegetation must comply with the following requirements.

- (1) The property owner must submit a revegetation plan, prepared with, and signed by a qualified professional, which describes revegetation activities and maintenance. The plan must include a scaled site plan, depicting where vegetation was, or is to be removed, where existing vegetation is to remain, and where vegetation is to be planted, including a list of all vegetation to be planted.
- (2) Revegetation must occur along the same segment of shoreline and in the same area where vegetation was removed and at a density comparable to the pre-existing vegetation, except where a shoreline stabilization activity does not allow revegetation to occur in the same area and at a density comparable to the pre-existing vegetation, in which case revegetation must occur along the same segment of shoreline and as close as possible to the area where vegetation was removed:
- (3) If part of a permitted activity, revegetation shall occur before the expiration of the permit. If the activity or revegetation is not completed before the expiration of the permit, a new revegetation plan shall be submitted with any renewal or new permit application.

SHORE LAND ZONING Page 42 of 66

- (4) Revegetation activities must meet the following requirements for trees and saplings:
 - (a) All trees and saplings removed must be replaced with native noninvasive species;
 - (b) Replacement vegetation must at a minimum consist of saplings;
 - (c) If more than three (3) trees or saplings are planted, then at least three (3) different species shall be used;
 - (d) No one species shall make up 50% or more of the number of trees and saplings planted;
 - (e) If revegetation is required for a shoreline stabilization project, and it is not possible to plant trees and saplings in the same area where trees or saplings were removed, then trees or sapling must be planted in a location that effectively reestablishes the screening between the shoreline and structures; and
 - (f) A survival rate of at least eighty (80) percent of planted trees or saplings is required for a minimum five (5) years period.
- (5) Revegetation activities must meet the following requirements for woody vegetation and other vegetation under three (3) feet in height:
 - (a) All woody vegetation and vegetation under three (3) feet in height must be replaced with native noninvasive species of woody vegetation and vegetation under three (3) feet in height as applicable;
 - (b) Woody vegetation and vegetation under three (3) feet in height shall be planted in quantities and variety sufficient to prevent erosion and provide for effective infiltration of stormwater;
 - (c) If more than three (3) woody vegetation plants are to be planted, then at least three
 - (3) different species shall be planted;
 - (d) No one species shall make up 50% or more of the number of planted woody vegetation plants; and
 - (e) Survival of planted woody vegetation and vegetation under three feet in height must be sufficient to remain in compliance with the standards contained within this chapter for minimum of five (5) years
- (6) Revegetation activities must meet the following requirements for ground vegetation and ground cover:
 - (a) All ground vegetation and ground cover removed must be replaced with native herbaceous vegetation, in quantities and variety sufficient to prevent erosion and provide for effective infiltration of stormwater;
 - (b) Where necessary due to a lack of sufficient ground cover, an area must be supplemented with a minimum four (4) inch depth of leaf mulch and/or bark mulch to prevent erosion and provide for effective infiltration of stormwater; and

SHORE LAND ZONING Page 43 of 66

(c) Survival and functionality of ground vegetation and ground cover must be sufficient to remain in compliance with the standards contained within this chapter for minimum of five (5) years.

T. Erosion and Sedimentation Control:

- 1. All activities which involve filling, grading, excavation, or other similar activities, which result in un-stabilized soil conditions, and which require a permit shall also require a written soil erosion and sedimentation control plan. The plan shall be submitted to the permitting authority for approval and shall include, where applicable, provisions for:
 - a. Mulching and re-vegetation of disturbed soil.
 - b. Temporary runoff control features such as hay bales, silt fencing or diversion ditches.
 - c. Permanent stabilization structures such a retaining walls or rip-rap.
- In order to create the least potential for erosion, development shall be designed to fit with the topography and soils of the site. Areas of steep slopes where high cuts and fill may be required shall be avoided wherever possible, and natural contours shall be followed as closely as possible.
- Erosion and sedimentation control measures shall apply to all aspects of the proposed project involving land disturbance and shall be in operation during all stages of the activity. The amount of exposed soil at every phase of construction shall be minimized to reduce the potential for erosion.
- 4. Any exposed ground area shall be temporarily or permanently stabilized within one (1) week from the time it was last actively worked, by the use of rip-rap, sod, seed, and mulch, or other effective measures. In all cases permanent stabilization shall occur within nine (9) months of the initial date of exposure. In addition:
 - a. Where mulch is used, it shall be applied at a rate of at least one (1) bale per five hundred (500) square feet and shall be maintained until a catch of vegetation is established.
 - b. Anchoring the mulch with netting, peg and twines or other suitable method may be required to maintain the mulch cover.
 - c. Additional measures shall be taken where necessary in order to avoid siltation into the water. Such measures may include the use of staked hay bales and/or silt fences.
- 5. Natural and man-made drainage ways and drainage outlets shall be protected from erosion from water flowing through them. Drainage ways shall be designed and constructed in order to carry water from a twenty-five (25) year storm or greater and shall be stabilized with vegetation or lined with rip-rap.

SHORE LAND ZONING Page 44 of 66

U. Soils:

All land uses shall be located on soils in or upon which the proposed uses or structures can be established or maintained without causing adverse environmental impacts, including severe erosion, mass soil movement, improper drainage, and water pollution, whether during or after construction. Proposed uses requiring subsurface waste disposal, and commercial or industrial development and other similar intensive land uses, shall require a soils report based on an onsite investigation and be prepared by a State certified professional. Certified persons may include Maine Certified Soil Scientists, Maine Registered Professional Engineers, Maine State Certified Geologists, and other persons who have training and experience in the recognition and evaluation of soil properties. The report shall be based upon the analysis of the characteristics of the soil and surrounding land and water areas, maximum ground water elevation, and presence of ledge, drainage conditions, and other pertinent data, which the evaluator deems appropriate. The soil report shall include recommendations for a proposed use to counteract soil limitations where they exist.

V. Water Quality:

No activity shall deposit on or into the ground or discharge to the waters of the State any pollutant that, by itself or in combination with other activities or substances, will impair designated uses or the water classification of the water body, tributary stream, or wetland.

Archaeological Sites: Any proposed land use activity involving structural development or soil disturbance on or adjacent to sites listed on, or eligible to be listed on the National Register of Historic Places, as determined by the permitting authority, shall be submitted by the applicant to the Maine Historic Preservation Commission for review and comment at least twenty (20) days prior to action being taken by the permitting authority. The permitting authority shall consider comments received from the Commission prior to rendering a decision on the application.

SECTION 16: ADMINISTRATION

A. Administering Bodies and Agents:

- 1. Code Enforcement Officer: A Code Enforcement Officer shall be appointed or reappointed annually by July 1st.
- 2. Board of Appeals: A Board of Appeals shall be created in accordance with the provisions of 30-A M.R.S.A. section 2691.
- 3. Planning Board: A Planning Board shall be created in accordance with the provisions of State law.

B. Permits Required:

After the effective date of this Ordinance, no person shall, without first obtaining a permit, engage in any activity or use of land or structure requiring a permit in the district in which such activity or use would occur; or expand, change, or replace an existing use or structure; or renew a discontinued nonconforming use. A person who is issued a permit pursuant to this Ordinance shall have a copy of the permit on site while the work authorized by the permit is performed.

- 1. A permit is not required for the replacement of an existing road culvert as long as:
 - (a) The replacement culvert is not more than 25% longer than the culvert being replaced:

- (b) The replacement culvert is no longer than 75 feet; and
- (c) Adequate erosion control measures are taken to prevent sedimentation of the water, and

the crossing does not block fish passage in the water course.

2. A permit is not required for an archaeological excavation as long as the excavation is conducted by an archaeologist listed on the State Historic Preservation Officer's level 1 or level 2 approved list, and unreasonable erosion and sedimentation is prevented by means of adequate and timely temporary and permanent stabilization measures.

Any permit required by this Ordinance shall be in addition to any other permit required by other law or ordinance.

C. Permit Application:

- 1. Every applicant for a permit shall submit a written application, including a scaled site plan, on a form provided by the municipality, to the appropriate official as indicated in Section 14.
- 2. All applications shall be signed by an owner or individual who can show evidence of right, title, or interest in the property or by an agent, representative, tenant, or contractor of the owner with authorization from the owner to apply for a permit hereunder, certifying that the information in the application is complete and correct
- 3. All applications shall be dated, and the Code Enforcement Officer or Planning Board, as appropriate, shall note upon each application the date and time of receipt.
- 4. If the property is not served by a public sewer, a valid plumbing permit or a completed application for a plumbing permit, including the site evaluation approved by the Plumbing Inspector, shall be submitted whenever the nature of the proposed structure or use would require the installation of a subsurface sewage disposal system.
- W. All applications for Shore Land Zoning shall be accompanied by an application fee, payable at the time of filing. The fee shall be sufficient to compensate the municipality for the reasonable costs of processing the application. Fees shall be set, and may be amended, by the Board of Selectmen, and shall consist of a base fee, plus a variable fee based on the size or complexity of the development. The board shall hold a public hearing prior to setting or amending the fee schedule.

(See Board of Selectmen vote March 13, 2010)

D. Procedure for Administering Permits:

1. Within thirty-five (35) days of the date of receiving a written application, the Planning Board, or the Code Enforcement Officer (as indicated in Section 14) shall notify the applicant in writing either that the application is a complete application, or, if the application is incomplete that specific additional material is needed to make the application complete. The Planning Board or Code Enforcement Officer, as appropriate, shall approve, approve with conditions, or deny all permit applications within thirty-five (35) days of receiving a completed application. However, if the Planning Board has a waiting list of applications, a decision on the application shall occur within 35 days after the first available date on the Planning Board's agenda following receipt of the completed application, or within 35 days of the public hearing if the proposed use or structure is found to be in conformance with the purposes and provisions of this Ordinance.

SHORE LAND ZONING Page 46 of 66

- 2. The applicant shall have the burden of proving that the proposed land use activity is in conformity with the purposes and provisions of this Ordinance.
- 3. After the submission of a complete application to the Planning Board, the Board shall approve an application or approve it with conditions if it makes a positive finding based on the information presented that the proposed use:
 - a) Will maintain safe and healthful conditions:
 - b) Will not result in water pollution, erosion, or sedimentation to surface waters;
 - c) Will adequately provide for the disposal of all wastewater;
 - d) Will not have an adverse impact on spawning grounds fish, aquatic life, bird or other wildlife habitat:
 - e)Will conserve shore cover and points of access to inland waters;
 - Will protect archaeological and historic resources as designated in comprehensive plans;
 - g) Will avoid problems associated with flood plain development and use; and
 - h) Is in conformance with the provisions of Section 15, Land Use Standards.
- 4. If a permit is either denied or approved with conditions, the reasons as well as conditions shall be stated in writing. No approval shall be granted for an application involving a structure if the structure would be located in an unapproved subdivision or would violate any other local ordinance or regulation or statute administered by the municipality.
- 5. The permit shall be posted in clear view of the area covered by the permit during any period of construction or other work covered by the permit. The Town will provide weather resistant permits.

E. Expiration of Permit

Permits shall expire one year from the date of issuance if a substantial start is not made in construction or in the use of the property during that period. If a substantial start is made within one year of the issuance of the permit, the applicant shall have one additional year to complete the project, at which time the permit shall expire.

F. Installation of Public Utility Service

A public utility, water district, sanitary district or any utility company of any kind may not install services to any new structure located in the shoreland zone unless written authorization attesting to the validity and currency of all local permits under this or any previous Ordinance, has been issued by the appropriate municipal officials or other written arrangements have been made between the municipal officials and the utility. Following installation of service, the company or district shall forward the written authorization to the municipal officials, indicating that installation is complete.

G. Appeals

1. Powers and Duties of the Board of Appeals.

The Board of Appeals shall have the following powers:

- a. Administrative Appeals: To hear and decide administrative appeals, on an appellate basis, where it is alleged by an aggrieved party that there is an error in any order, requirement, decision, or determination made by, or failure to act by, the Planning Board in the administration of this Ordinance; and to hear and decide administrative appeals on a de novo basis where it is alleged by an aggrieved party that there is an error in any order, requirement, decision or determination made by, or failure to act by, the Code Enforcement Officer in his or her review of and action on a permit application under this Ordinance. Any order, requirement, decision, or determination made, or failure to act, in the enforcement of this ordinance is not appealable to the Board of Appeals.
- b. Variance Appeals: To authorize variances upon appeal, within the limitations set forth in this Ordinance.
- 2. Variance Appeals: Variances may be granted only under the following conditions:
 - a. Variances may be granted only from dimensional requirements including, but not limited to: lot width, structure height, and percent of lot coverage and setback requirements.
 - b. Variances shall not be granted for establishment of any uses otherwise prohibited by this Ordinance.
 - c. The Board shall not grant a variance unless it finds that:
 - (i) The proposed structure or use would meet the provisions of Section 15 except for the specific provision which has created the non-conformity and from which relief is sought; and
 - (ii) The strict application of the terms of this Ordinance would result in undue hardship. The term "undue hardship" shall mean:
 - a. That the land in question cannot yield a reasonable return unless a variance is granted:
 - b. That the need for a variance is due to the unique circumstances of the property and not to the general conditions in the neighborhood
 - c. That the granting of a variance will not alter the essential character of the locality;
 - d. That the hardship is not the result of action taken by the applicant or a prior owner.
 - d. Notwithstanding Section 16(G)(2)(c)(ii) above, the Board of Appeals may grant a variance to an owner of a residential dwelling for the purpose of making that dwelling accessible to a person with a disability who resides in or regularly uses the dwelling. The board shall restrict any variance granted under this subsection solely to the installation of equipment or the construction of structures necessary for access to or egress from the dwelling by the person with the disability. The board may impose conditions on the variance, including limiting the variance to the duration of the disability or to the time that the person with the disability lives in the dwelling. The

SHORE LAND ZONING Page 48 of 66

term "structures necessary for access from the dwelling" shall include railing, wall, or roof systems necessary for the safety or effectiveness of the structure.

- e. The Board of Appeals shall limit any variances granted as strictly as possible in order to ensure conformance with the purposes of this Ordinance to the greatest extent possible, and in doing so may impose such conditions to a variance as it deems necessary. The party receiving the variance shall comply with any condition opposed.
- f. A copy of each variance request, including the application and all supporting information supplied by the applicant, shall be forwarded by the municipal officials to the Commissioner of the Department of Environmental Protection at least twenty (20) days prior to action by the Board of Appeals. Any comments received from the Commissioner prior to the action by the Board of Appeals shall be made part of the record and shall be taken into consideration by the Board of Appeals.

3. Administrative Appeals:

- a. When the Board of Appeals reviews a decision of the Code Enforcement Officer the Board of Appeals shall hold a "de novo" hearing. At this time, the Board may receive and consider new evidence and testimony, be it oral or written. When acting in a "de novo" capacity the Board of Appeals shall hear and decide the matter afresh, undertaking its own independent analysis of evidence and the law, and reaching its own decision.
- b. When the Board of Appeals hears a decision of the Planning Board, it shall hold an appellate hearing, and may reverse the decision of the Planning Board only upon finding that the decision was contrary to specific provisions of the Ordinance or contrary to the facts presented to the Planning Board. The Board of Appeals may only review the record of the proceedings before the Planning Board. The Board Appeals shall not receive or consider any evidence which was not presented to the Planning Board, but the Board of Appeals may receive and consider written or oral arguments. If the Board of Appeals determines that the record of the Planning Board proceedings is inadequate, the Board of Appeals may remand the matter to the Planning Board for additional fact finding.

4. Appeal Procedure

- a. Making an Appeal:
 - (1) An administrative or variance appeal may be taken to the Board of Appeals by an aggrieved party from any decision of the Code Enforcement Officer or the Planning Board, except for enforcement-related matters as described in Section 16 (G)(1)(a) above. Such an appeal shall be taken within thirty (30) days of the date of the official, written decision appealed from, and not otherwise, except that the Board, upon a showing of good cause, may waive the thirty (30) day requirement.
 - (2) Applications for appeals shall be made by filing with the Board of Appeals a written notice of appeal, which includes:
 - (a) A concise written statement indicating what relief is requested and why the appeal or variance should be granted.
 - (b) A sketch drawn to scale showing lot lines, location of existing buildings and

SHORE LAND ZONING Page 49 of 66

structures and other physical features of the lot pertinent to the relief sought.

- (3) Upon receiving an application for an administrative appeal or a variance, the Code Enforcement Officer, or Planning Board, as appropriate, shall transmit to the Board of Appeals all of the papers constituting the record of the decision appealed from.
- (4) The Board of Appeals shall hold a public hearing on an administrative appeal or a request for a variance within thirty-five (35) days of its receipt of a complete written application, unless this time period is extended by the parties.

b. Decision by Board of Appeals:

- (1) A majority of the full voting membership of the Board shall constitute a quorum for the purpose of deciding an appeal.
- (2) The person filing the appeal shall have the burden of proof.
- (3) The Board shall decide all administrative appeals and variance appeals within thirty-five (35) days after the close of the hearing and shall issue a written decision on all appeals.
- (4) The Board of Appeals shall state the reasons and basis for its decision, including a statement of the facts found and conclusions reached by the Board. The Board shall cause written notice of its decision to be mailed or hand-delivered to the applicant and to the Department of Environmental Protection within seven (7) days of the Board's decision. Copies of written decisions of the Board of Appeals shall be given to the Planning Board, Code Enforcement Officer, and the municipal officers.

5. Appeal to Superior Court:

Except as provided by 30-A M.R.S.A. section 2691 (3) (F), any aggrieved party who participated as a party during the proceedings before the Board of Appeals may take an appeal to Superior Court in accordance with State laws within forty-five (45) days from the date of any decision of the Board of Appeals.

6. Reconsideration:

In accordance with 30-A M.R.S.A. section 2691 (3) (F), the Board of Appeals may reconsider any decision reached within forty-five (45) days of its prior decision. A request to the Board to reconsider a decision must be filed within ten (10) days of the decision that is being reconsidered. A vote to reconsider and the action taken on that reconsideration must occur and be completed within forty-five (45) days of the date of the vote on the original decision. Reconsideration of a decision shall require a positive vote of the majority of the Board members originally voting on the decision, and proper notification to the landowner, petitioner, planning board, code enforcement officer, and other parties of interest, including abutters and those who testified at the original hearing(s). The Board may conduct additional hearings and receive additional evidence and testimony.

SHORE LAND ZONING Page 50 of 66

Appeal of a reconsidered decision to Superior Court must be made within fifteen (15) days after the decision on reconsideration.

H. Enforcement

1. Nuisances:

Any violation of this Ordinance shall be deemed a nuisance.

- 2. Code Enforcement Officer (CEO):
 - a. It shall be the duty of the CEO to enforce the provisions of this Ordinance. If the CEO shall find that any provisions of this Ordinance is being violated, he or she shall notify in writing the person responsible for such violation, indicating the nature of the violation, and ordering the action necessary to correct it, including discontinuance of illegal use of land, buildings, or structures, or work being done, removal of illegal building or structures, and abatement of nuisance conditions. A copy of such notices shall be submitted to the municipal officers and be maintained as a permanent record.
 - b. The Code Enforcement Officer shall conduct on-site inspections to ensure compliance with all applicable laws and conditions attached to permit approvals. The Code Enforcement Officer shall also investigate all complaints of alleged violations of this Ordinance.
 - c. The Code Enforcement Officer shall keep a complete record of all essential transactions of the office, including applications submitted, permits granted or denied, variances granted or denied, revocation actions, revocations of permits, appeals, court actions, violations investigated, violations found, and fees collected. On a biennial basis, a summary of this record shall be submitted to the Director of the Bureau of Land and Water Quality within the Department of Environmental Protection.

3. Legal Actions

When the above action does not result in the correction or abatement of the violation or nuisance condition, the Municipal Officers, upon notice from the Code Enforcement Officer, are hereby directed to institute any and all actions and proceedings, either legal or equitable, including seeking injunctions of violations and the imposition of fines, that may be appropriate or necessary to enforce the provisions of this Ordinance in the name of the municipality. The municipal officers, or their authorized agent, are hereby authorized to enter into administrative consent agreements for the purpose of eliminating violations of this Ordinance and recovering fines without Court action. Such agreements shall not allow an illegal structure or use to continue unless there is clear and convincing evidence that the illegal structure or use was constructed or conducted as a direct result or erroneous advice given by an authorized municipal official and there is no evidence that the owner acted in bad faith, or unless the removal of the structure or use will result in a threat or hazard to public health and safety or will result in substantial environmental damage.

4 Fines

(See Board of Selectmen vote August 20, 2013 Town Book 2012 page 120)

Any person, including but not limited to a landowner, a landowner's agent, or a contractor, who violates any provision or requirement of this Ordinance shall be penalized in

SHORE LAND ZONING Page 51 of 66

accordance with 30-A, section 4452.

NOTE: Current penalties include fines of not less than \$100 "Nor" more than \$2500 per violation for each day that the violation continues.

SECTION 17. DEFINITIONS:

Accessory structure or use - a use or structure which is incidental and subordinate to the principal use or structure. Accessory uses, when aggregated, shall not subordinate the principal use of the lot. A deck or similar extension of the principal structure or a garage attached to the principal structure by a roof, or a common wall is considered part of the principal structure.

Aggrieved party - an owner of land whose property is directly or indirectly affected by the granting or denial of a permit or variance under this Ordinance; a person whose land abuts land for which a permit or variance has been granted; or any other person or group of persons who have suffered particularized injury as a result of the granting or denial of such permit or variance.

Agriculture - the production, keeping or maintenance for sale or lease of plants or animals, including, but not limited to, forages and sod crops, grains and seed crops, dairy animals and dairy products, poultry and poultry products, livestock, fruits and vegetables and ornamental green-house products. Agriculture does not include forest management and timber harvesting activities.

Aquaculture - the growing or propagation of harvestable freshwater, estuarine, marine plant or animal species.

Basal Area - the area of cross-section of a tree stem at 4 1/2 feet above ground level and inclusive of bark.

Basement - any portion of a structure with a floor-to-ceiling height of 6 feet or more and having more than 50% of its volume below the existing ground level.

Boat Launching Facility - a facility designed primarily for the launching and landing of watercraft, and which may include an access ramp, docking area, and parking spaces for vehicles and trailers.

Bureau of Forestry – State of Maine Department of Agriculture, Conservation, and Forestry, Bureau of Forestry.

Campground - any area or tract of land to accommodate two (2) or more parties in temporary living quarters, including, but not limited to tents, recreational vehicles, or other shelters.

Canopy – the more or less continuous cover formed by tree crowns in a wooded area.

Coastal wetland - all tidal and subtidal lands; all lands with vegetation present that is tolerant of salt water and occurs primarily in a salt water or estuarine habitat; and any swamp, marsh, bog, beach, flat or other contiguous low land that is subject to tidal action during the highest tide level for the year in which an activity is proposed as identified in tide tables published by the National Ocean Service. Coastal wetlands may include portions of coastal sand dunes.

NOTE: All areas below the highest annual tide level are coastal wetlands. These areas may consist of rocky ledges, sand and cobble beaches, mud flats, etc., in addition to salt marshes and salt meadows.

Commercial use - the use of lands, buildings, or structures, other than a "home occupation," defined below, the intent and result of which activity is the production of income from the buying and selling of goods and/or services, exclusive of rental of residential buildings and/or dwelling units.

Cross-sectional area – the cross-sectional area of a stream or tributary stream channel is determined by multiplying the stream or tributary stream channel width by the average stream or tributary stream channel width is the straight-line distance from the normal high-water line on one side of the channel to the normal high-water line on the opposite side of the channel. The average stream or tributary stream channel depth is the average of the vertical distances from a straight line between the normal high-water lines of the stream or tributary stream channel to the bottom of the channel.

DBH – the diameter of a standing tree measured 4.5 feet from ground level.

Development – a change in land use involving alteration of the land, water or vegetation, or the addition or alteration of structures or other construction not naturally occurring.

Dimensional requirements - numerical standards relating to spatial relationships including but not limited to setback, lot area, shore frontage and height.

Disability - any disability, infirmity, malformation, disfigurement, congenital defect or mental condition caused by bodily injury, accident, disease, birth defect, environmental conditions or illness; and also includes the physical or mental condition of a person which constitutes a substantial handicap as determined by a physician or in the case of mental handicap, by a psychiatrist or psychologist, as well as any other health or sensory impairment which requires special education, vocational rehabilitation or related services.

Disruption of shoreline integrity - the alteration of the physical shape, properties, or condition of a shoreline at any location by timber harvesting and related activities. A shoreline where shoreline integrity has been disrupted is recognized by compacted, scarified and/or rutted soil, an abnormal channel or shoreline cross-section, and in the case of flowing waters, a profile and character altered from natural conditions.

Driveway - a vehicular access-way less than five hundred (500) feet in length serving two single-family dwellings or one two-family dwelling, or less.

Emergency operations - operations conducted for the public health, safety, or general welfare, such as protection of resources from immediate destruction or loss, law enforcement, and operations to rescue human beings, property, and livestock from the threat of destruction or injury.

Essential services - gas, electrical or communication facilities; steam, fuel, electric power or water transmission or distribution lines, towers, and related equipment; telephone cables or lines,

SHORE LAND ZONING Page 53 of 66

poles, and related equipment; gas, oil, water, slurry, or other similar pipelines; municipal sewage lines, collection, or supply systems; and associated storage tanks. Such systems may include towers, poles, wires, mains, drains, pipes, conduits, cables, fire alarms and police call boxes, traffic signals, hydrants, and similar accessories, but shall not include service drops or buildings which are necessary for the furnishing of such services.

Expansion of a structure - an increase in the footprint or height of a structure, including all extensions such as, but not limited to: attached decks, garages, porches, and greenhouses.

Expansion of use - the addition of one or more months to a use's operating season; or the use of more footprint of a structure or ground area devoted to a particular use.

Family - one or more persons occupying a premises and living as a single housekeeping unit.

Floodway - the channel of a river or other watercourse and adjacent land areas that must be reserved in order to discharge the 100-year flood without cumulatively increasing the water surface elevation by more than one foot in height.

Floor area - the sum of the horizontal areas of the floor(s) of a structure enclosed by exterior walls.

Footprint - the entire area of ground covered by the structure(s) on a lot, including but not limited to cantilevered or similar overhanging extensions, as well as unenclosed structures, such as patios and decks.

Forest management activities - timber cruising and other forest resource evaluation activities, pesticide or fertilizer application, management planning activities, timber stand improvement, pruning, regeneration of forest stands, and other similar or associated activities, exclusive of timber harvesting and the construction, creation, or maintenance of roads.

Forest Stand - a contiguous group of trees sufficiently uniform in age class distribution, composition, and structure, and growing on a site of sufficiently uniform quality, to be a distinguishable unit.

Forested wetland - a freshwater wetland dominated by woody vegetation that is six (6) meters tall (approximately twenty (20) feet) or taller.

Foundation - the supporting substructure of a building or other structure, excluding wooden sills and post supports, but including basements, slabs, frost walls, or other base consisting of concrete, block, brick, or similar material.

Freshwater wetland - freshwater swamps, marshes, bogs, and similar areas, other than forested wetlands, which are:

(1) Of ten or more contiguous acres; or of less than 10 contiguous acres and adjacent to a surface water body, excluding any river, stream, or brook, such that in a natural state, the combined surface area is in excess of 10 acres; and

(2) Inundated or saturated by surface or ground water at a frequency and for a duration sufficient to support, and which under normal circumstances do support, a prevalence of wetland vegetation typically adapted for life in saturated soils.

Freshwater wetlands may contain small stream channels or inclusions of land that do not conform to the criteria of this definition.

Functionally water-dependent uses - those uses that require, for their primary purpose, location on submerged lands or that require direct access to, or location in, coastal or inland waters and that cannot be located away from these waters. The uses include, but are not limited to, commercial and recreational fishing and boating facilities, finfish and shellfish processing, fish-related storage and retail and wholesale fish marketing facilities, waterfront dock and port facilities, shipyards and boat building facilities, marinas, navigation aids, basins and channels, shoreline structures necessary for erosion control purposes, industrial uses dependent upon water-borne transportation or requiring large volumes of cooling or processing water that cannot reasonably be located or operated at an inland site, and uses that primarily provide general public access to coastal or inland waters. Recreational boat storage buildings are not considered to be a functionally water-dependent use.

Great pond - any inland body of water which in a natural state has a surface area in excess of ten acres, and any inland body of water artificially formed or increased which has a surface area in excess of thirty (30) acres except for the purposes of this Ordinance, where the artificially formed or increased inland body of water is completely surrounded by land held by a single owner,

Great pond classified GPA - any great pond classified GPA, pursuant to 38 M.R.S.A. Article 4-A Section 465-A. This classification includes some, but not all impoundments of rivers that are defined as great ponds.

Ground cover – small plants, fallen leaves, needles and twigs, and the partially decayed organic matter of the forest floor.

Harvest Area - the area where timber harvesting and related activities, including the cutting of trees, skidding, yarding, and associated road construction take place. The area affected by a harvest encompasses the area within the outer boundaries of these activities, excepting unharvested areas greater than 10 acres within the area affected by a harvest.

Hazard tree - a tree with a structural defect, combination of defects, or disease resulting in a structural defect that under the normal range of environmental conditions at the site exhibits a high probability of failure and loss of a major structural component of the tree in a manner that will strike a target. A normal range of environmental conditions does not include meteorological anomalies, such as, but not limited to: hurricanes; hurricane-force winds; tornados; microbursts; or significant ice storm events. Hazard trees also include those trees that pose a serious and imminent risk to bank stability. A target is the area where personal injury or property damage could occur if the tree or a portion of the tree fails. Targets include roads, driveways, parking areas, structures, campsites, and any other developed area where people frequently gather and linger.

Height of a structure - the vertical distance between the mean original (prior to construction) grade at the downhill side of the structure and the highest point of the structure, excluding chimneys, steeples, antennas, and similar appurtenances that have no floor area.

Home occupation - an occupation or profession which is customarily conducted on or in a residential structure or property and which is 1) clearly incidental to and compatible with the residential use of the property and surrounding residential uses; and 2) which employs no more than two (2) persons other than family members residing in the home.

Increase in nonconformity of a structure - any change in a structure or property which causes further deviation from the dimensional standard(s) creating the nonconformity such as, but not limited to, reduction in water body, tributary stream, or wetland setback distance, increase in lot coverage, or increase in height of a structure. Property changes or structure expansions which either meet the dimensional standard or which cause no further increase in the linear extent of nonconformance of the existing structure shall not be considered to increase nonconformity. For example, there is no increase in nonconformity with the setback requirement for water bodies, wetlands, or tributary streams if the expansion extends no further into the required setback area than does any portion of the existing nonconforming structure. Hence, a structure may be expanded laterally provided that the expansion extends no closer to the water body, tributary stream, or wetland than the closest portion of the existing structure from that water body, tributary stream, or wetland. Included in this allowance are expansions which in-fill irregularly shaped structures.

Individual private campsite - an area of land which is not associated with a campground, but which is developed for repeated camping by only one group not to exceed ten (10) individuals and which involves site improvements which may include but not be limited to a gravel pad, parking area, fireplace, or tent platform.

Industrial - The assembling, fabrication, finishing, manufacturing, packaging, or processing of goods, or the extraction of minerals.

Institutional – a non-profit or quasi-public use, or institution such as a church, library, public or private school, hospital, or municipally owned or operated building, structure or land used for public purposes.

Land Management Road - a route or track consisting of a bed of exposed mineral soil, gravel, or other surfacing materials constructed for, or created by, the passage of motorized vehicles and used primarily for timber harvesting and related activities, including associated log yards, but not including skid trails or skid roads.

Licensed Forester - a forester licensed under 32 M.R.S.A. Chapter 76.

Lot area - The area of land enclosed within the boundary lines of a lot, minus land below the normal high-water line of a water body or upland edge of a wetland and areas beneath roads serving more than two lots.

Marina - a business establishment having frontage on navigable water and, as its principal use, providing for hire offshore moorings or docking facilities for boats, and which may also provide

SHORE LAND ZONING Page 56 of 66

accessory services such as boat and related sales, boat repair and construction, indoor and outdoor storage of boats and marine equipment, bait and tackle shops and marine fuel service facilities.

Market value - the estimated price a property will bring in the open market and under prevailing market conditions in a sale between a willing seller and a willing buyer, both conversant with the property and with prevailing general price levels.

Mineral exploration - hand sampling, test boring, or other methods of determining the nature or extent of mineral resources which create minimal disturbance to the land, and which include reasonable measures to restore the land to its original condition.

Mineral extraction - any operation within any twelve (12) month period which removes more than one hundred (100) cubic yards of soil, topsoil, loam, sand, gravel, clay, rock, peat, or other like material from its natural location and to transport the product removed, away from the extraction site.

Minimum lot width - the closest distance between the side lot lines of a lot. When only two lot lines extend into the shoreland zone, both lot lines shall be considered to be side lot lines.

Multi-unit residential - a residential structure containing three (3) or more residential dwelling units.

Native – indigenous to the local forests.

Non-conforming condition – non-conforming lot, structure or use which is allowed solely because it was in lawful existence at the time this Ordinance or subsequent amendment took effect.

Non-conforming lot - a single lot of record which, at the effective date of adoption or amendment of this Ordinance, does not meet the area, frontage, or width requirements of the district in which it is located.

Non-conforming structure - a structure which does not meet any one or more of the following dimensional requirements; setback, height, lot coverage or footprint, but which is allowed solely because it was in lawful existence at the time this Ordinance or subsequent amendments took effect.

Non-conforming use - use of buildings, structures, premises, land, or parts thereof which is not allowed in the district in which it is situated, but which is allowed to remain solely because it was in lawful existence at the time this Ordinance or subsequent amendments took effect.

Non-native invasive species of vegetation - species of vegetation listed by the Maine Department of Agriculture, Conservation and Forestry as being invasive in Maine ecosystems and not native to Maine ecosystems.

Normal high-water line (non-tidal waters) - that line, which is apparent from visible markings, changes in the character of soils due to prolonged action of the water or changes in vegetation, and which distinguishes between predominantly aquatic and predominantly terrestrial land. Areas

contiguous with rivers and great ponds that support non-forested wetland vegetation and hydric soils and that are at the same or lower elevation as the water level of the river or great pond during the period of normal high-water are considered part of the river or great pond.

NOTE: Adjacent to tidal waters, setbacks are measured from the upland edge of the "coastal wetland."

Outlet stream - any perennial or intermittent stream, as shown on the most recent highest resolution version of the national hydrography dataset available from the United States Geological Survey on the website of the United States Geological Survey or the national map that flows from a freshwater wetland.

Person - an individual, corporation, governmental agency, municipality, trust, estate, partnership, association, two or more individuals having a joint or common interest, or other legal entity.

Piers, docks, wharves, bridges, and other structures and uses extending over or beyond the normal high-water line or within a wetland.

Temporary: Structures which remain in or over the water for less than seven (7) months in any period of twelve (12) consecutive months.

Permanent: Structures which remain in or over the water for seven (7) months or more in any period of twelve (12) consecutive months.

Principal structure - a structure other than one which is used for purposes wholly incidental or accessory to the use of another structure or use on the same lot.

Principal use - a use other than one which is wholly incidental or accessory to another use on the same lot.

Public facility - any facility, including, but not limited to, buildings, property, recreation areas, and roads, which are owned, leased, or otherwise operated, or funded by a governmental body or public entity.

Recent floodplain soils - the following soil series as described and identified by the National Cooperative Soil Survey:

Fryeburg Hadley Limerick Lovewell Medomak Ondawa

Alluvial Cornish Charles
Podunk Rumney Saco
Suncook Sunday Winooski

Recreational facility - a place designed and equipped for the conduct of sports, leisure time activities, and other customary and usual recreational activities, excluding boat launching facilities.

Recreational vehicle - a vehicle or an attachment to a vehicle designed to be towed and designed for temporary sleeping or living quarters for one or more persons, and which may

SHORE LAND ZONING Page 58 of 66

include a pick-up camper, travel trailer, tent trailer, camp trailer, and motor home. In order to be considered as a vehicle and not as a structure, the unit must remain with its tires on the ground and must be registered with the State Division of Motor Vehicles.

Replacement system - a system intended to replace: 1.) an existing system which is either malfunctioning or being upgraded with no significant change of design flow or use of the structure, or 2.) any existing overboard wastewater discharge.

Residential dwelling unit - a room or group of rooms designed and equipped exclusively for use as permanent, seasonal, or temporary living quarters for only one family at a time, and containing cooking, sleeping and toilet facilities. The term shall include mobile homes and rental units that contain cooking, sleeping, and toilet facilities regardless of the time-period rented. Recreational vehicles are not residential dwelling units.

Residual basal area - the average of the basal area of trees remaining on a harvested site.

Residual Stand - a stand of trees remaining in the forest following timber harvesting and related activities

Riprap - rocks, irregularly shaped, and at least six (6) inches in diameter, used for erosion control and soil stabilization, typically used on ground slopes of two (2) units horizontal to one (1) unit vertical or less.

River - a free-flowing body of water including its associated floodplain wetlands from that point at which it provides drainage for a watershed of twenty-five (25) square miles to its mouth.

NOTE: The portion of a river that is subject to tidal action is a coastal wetland.

Road - a route or track consisting of a bed of exposed mineral soil, gravel, asphalt, or other surfacing material constructed for or created by the repeated passage of motorized vehicles, excluding a driveway as defined.

Salt marsh - Areas of coastal wetland (most often along coastal bays) that support salt tolerant species, and where at average high tide during the growing season, the soil is irregularly inundated by tidal waters. The predominant species is saltmarsh cordgrass (Spartina alterniflora). More open areas often support widgeon grass, eelgrass, and Sago pondweed.

Salt meadow - Areas of a coastal wetland that support salt tolerant plant species bordering the landward side of salt marshes or open coastal water, where the soil is saturated during the growing season, but which is rarely inundated by tidal water. Indigenous plant species include salt meadow cordgrass (Spartina patens) and black rush; common three-square occurs in fresher areas.

Sapling - a tree species that is less than two (2) inches in diameter at four and one half (4.5) feet above ground level.

Seedling - a young tree species that is less than four and one half (4.5) feet in height above ground level.

Service drop - any utility line extension which does not cross or run beneath any portion of a water body provided that:

- (1) in the case of electric service
 - (a) the placement of wires and/or the installation of utility poles is located entirely upon the premises of the customer requesting service or upon a roadway right-of-way; and
 - (b) the total length of the extension is less than one thousand (1,000) feet.
- (2) in the case of telephone service
 - (a) the extension, regardless of length, will be made by the installation of telephone wires to existing utility poles, or
 - (b) the extension requiring the installation of new utility poles or placement underground is less than one thousand (1,000) feet in length.

Setback - the nearest horizontal distance from the normal high-water line of a water body or tributary stream, or upland edge of a wetland, to the nearest part of a structure, road, parking space or other regulated object or area.

Shore frontage - the length of a lot bordering on a water body or wetland measured in a straight line between the intersections of the lot lines with the shoreline.

Shoreland zone - the land area located within two hundred and fifty (250) feet, horizontal distance, of the normal high-water line of any great pond or river; within 250 feet, horizontal distance, of the upland edge of a coastal wetland, including all areas affected by tidal action; within 250 feet of the upland edge of a freshwater wetland; or within seventy-five (75) feet, horizontal distance, of the normal high-water line of a stream.

Shoreline – the normal high-water line, or upland edge of a freshwater or coastal wetland.

Significant River Segments - See Appendix A or 38 M.R.S.A. section 437.

Skid Road or Skid Trail - a route repeatedly used by forwarding machinery or animal to haul or drag forest products from the stump to the yard or landing, the construction of which requires minimal excavation.

Slash - the residue, e.g., treetops and branches, left on the ground after a timber harvest.

Storm-damaged tree - a tree that has been uprooted, blown down, is lying on the ground, or that remains standing and is damaged beyond the point of recovery as the result of a storm event.

Stream - a free-flowing body of water from the outlet of a great pond or the confluence of two (2) perennial streams as depicted on the most recent , highest resolution version of the national hydrography dataset available from the United States Geological Survey on the website of the

SHORE LAND ZONING Page 60 of 66

United States Geological Survey or the national map to the point where the stream becomes a river or where the stream meets the shoreland zone of another water body or wetland. When a stream meets the shoreland zone of a water body or wetland and a channel forms downstream of the water body or wetland as an outlet, that channel is also a stream.

Structure – anything temporarily or permanently located, built, constructed, or erected for the support, shelter or enclosure of persons, animals, goods or property of any kind or anything constructed or erected on or in the ground. The term includes structures temporarily or permanently located, such as decks, patios, and satellite dishes. Structure does not include fences; poles and wiring and other aerial equipment normally associated with service drops, including guy wires and guy anchors; subsurface wastewater disposal systems as defined in Title 30-A, section 4201, subsection 5; geothermal heat exchange wells as defined in Title 32, section 4700-E, subsection 3-C; or wells or water wells as defined in Title 32, section 4700-E, subsection 8.

Substantial start - completion of thirty (30) percent of a permitted structure or use measured as a percentage of estimated total cost.

Subsurface sewage disposal system – any system designed to dispose of waste or waste water on or beneath the surface of the earth; includes, but is not limited to: septic tanks; disposal fields; grandfathered cesspools; holding tanks; pretreatment filter, piping, or any other fixture, mechanism, or apparatus used for those purposes; does not include any discharge system licensed under 38 M.R.S.A. section 414, any surface waste water disposal system, or any municipal or quasi-municipal sewer or waste water treatment system.

Sustained slope - a change in elevation where the referenced percent grade is substantially maintained or exceeded throughout the measured area.

Tidal waters – all waters affected by tidal action during the highest annual tide.

Timber harvesting - the cutting and removal of timber for the primary purpose of selling or processing forest products. "Timber harvesting" does not include the cutting or removal of vegetation within the shoreland zone when associated with any other land use activities. The cutting or removal of trees in the shoreland zone on a lot that has less than two (2) acres within the shoreland zone shall not be considered timber harvesting. Such cutting or removal of trees shall be regulated pursuant to Section 15 (P), Clearing or Removal of Vegetation for Activities Other Than Timber Harvesting.

Timber harvesting and related activities - timber harvesting, the construction and maintenance of roads used primarily for timber harvesting and other activities conducted to facilitate timber harvesting.

Tree - a woody perennial plant with a well-defined trunk(s) at least two (2) inches in diameter at four and one half (4.5) feet above the ground, with a more or less definite crown, and reaching a height of at least ten (10) feet at maturity.

Tributary stream – means a channel between defined banks created by the action of surface water, which is characterized by the lack of terrestrial vegetation or by the presence of a bed,

devoid of topsoil, containing waterborne deposits or exposed soil, parent material or bedrock; and which is connected hydrologically with other water bodies. "Tributary stream" does not include rills or gullies forming because of accelerated erosion in disturbed soils where the natural vegetation cover has been removed by human activity.

This definition does not include the term "stream" as defined elsewhere in this Ordinance, and only applies to that portion of the tributary stream located within the shoreland zone of the receiving water body or wetland.

NOTE: Water setback requirements apply to tributary streams within the shoreland zone.

Upland edge of a wetland - the boundary between upland and wetland. For purposes of a coastal wetland, this boundary is the line formed by the landward limits of the salt tolerant vegetation and/or the highest annual tide level, including all areas affected by tidal action. For purposes of a freshwater wetland, the upland edge is formed where the soils are not saturated for a duration sufficient to support wetland vegetation; or where the soils support the growth of wetland vegetation, but such vegetation is dominated by woody stems that are six (6) meters (approximately twenty (20) feet) tall or taller.

Vegetation - all live trees, shrubs, and other plants including without limitation, trees both over and under 4 inches in diameter, measured at 4 1/2 feet above ground level.

Velocity zone - an area of special flood hazard extending from offshore to the inland limit of the primary frontal dune along an open coast and any other area subject to high velocity wave action from storms or seismic sources.

Volume of a structure - the volume of all portions of a structure enclosed by roof and fixed exterior walls as measured from the exterior faces of these walls and roof.

Water body - any great pond, river, or stream.

Water crossing - any project extending from one bank to the opposite bank of a river, stream, tributary stream, or wetland whether under, through, or over the water or wetland. Such projects include but may not be limited to roads, fords, bridges, culverts, water lines, sewer lines, and cables as well as maintenance work on these crossings. This definition includes crossings for timber harvesting equipment and related activities.

Wetland - a freshwater or coastal wetland.

Windfirm - the ability of a forest stand to withstand strong winds and resist windthrow, wind rocking, and major breakage.

Woody Vegetation - live trees or woody, non-herbaceous shrubs.

SECTION 18. WRITTEN DESCRIPTION OF DISTRICTS Ref# Location of boundary lines between Shoreland Zoning districts to be referred to, along with the official Shoreland Zoning map, to determine precise locations Tax Map # where one Shoreland Zoning District starts and where it changes to another. Property lines are used wherever feasible. **NORTH POND**. Starting at the North end of North Pond at the Smithfield/Mercer 1 M11, 12 line where Bog Stream enters the Pond, thence easterly to Lot I, Map 11/Lot 33, Map I2 property lines is the Resource Protection Zone. This Zone also extends northerly along the eastern shore of the Bog Stream wetland. 2 Beginning at the above property line southerly on the east shore of North Pond to the M12-16 property line of Lots 29/29A, Map I6 i.e. maps, 12-16 inclusive, is all zoned Limited Residential-Recreational. 3 Beginning at the lot line 29/29A, Map I6 easterly towards the Village area to the line between Lots I5 and I6, Map I6 is in the Limited Residential-Recreational Subzone I M16 District, (which permits light commercial activity). 4 From the property line between Lots I5 and I6, Map I6 southerly to a line 350 feet westerly from the property line between Lots 15 and 17 on Map 20 and parallel to M16, 18, it is in the Limited Residential-Recreational Zone. 17 5 Beginning at a line 350 feet westerly from the property line between Lots 15 and M18, 3 17 on Map 20 and parallel to it, along North Pond to Great Meadow Stream and Southerly along the east shore of Great Meadow Stream to the property line of Lots 1 and 2 on Map 3 are Resource Protection. Lot 1, Map 3 is Limited Residential-Recreational. 5 From Pine Tree Road on Map 1 southerly along the east shore of Great Meadow

FAST POND. Beginning at the Smithfield/Oakland town line on the west shore of East Pond. Map 1 Lot 30, the zone is defined as follows: From the Smithfield/Oakland Town Line along the line of the existing cottages to the northeast corner of the fence line at the pool will be LRR1. From that point and continuing along the East Pond shoreline to a point that is the projection of the Matoaka gate/fence line will be Resource Protection for a distance of 100 feet horizontal distance or to the existing fence line at the pool, whichever comes first. The remaining for a total of 250 feet horizontal distance will be LRR1. Thence to the

Stream to the Smithfield/Belgrade line is zoned Resource Protection.

M1

Starting at the property line between Lots 29 and 29A, Map I extending northerly on the west shore of East Pond Northerly to the common lot line between Lots 27F/27,

SHORE LAND ZONING Page 63 of 66

property line between Lots 29 and 29A will be Resource Protection.

9 M3	Map 1, is Limited Residential Recreational. From the common property lot line between lots 27F and 27, Map 1 extending around the wetland cove to a point 250 feet south of the lots 35 and 37 property line, Map 3 is Resource Protection.
10 M3, 1, 21	Continuing northerly on the west shore of East Pond to the property line between Lot 20, Map 3, and Lot I Map 5 is in the Limited Residential/Recreational Zone, which include all lots on Map 21.
11 M 5	From the above property line extending northerly on the west upland border of the Serpentine wetlands to a point of land located 250 feet west of the easterly point of Lot 3C, Map 5 as shown on the Shoreland Zoning Map is in the Resource Protection Zone.
12 M 5	From this point westerly on the south shore of the Serpentine to Route 8 is zoned Limited Residential/Recreational.
13 M 5	From Route 8 easterly on the north shore of the Serpentine to the property line between Lots 7A and 7B, Map 5 is in the Limited Residential/Recreational Zone.
14 M 4, 5	From lot line between Lots 7A and 7B, Map 5, along the upland, borders of the Serpentine wetlands, and then extending southerly on the east shore of the Serpentine wetlands to East Pond at a point 250 feet east of where the Serpentine wetlands meet East Pond, which is Lot 5N2, Map 4. All this is in Resource Protection.
15 M 4	From the above point to Lot line 5N-1/5M is Limited Residential/Recreational.
16	From this line to 5M/5L is Resource Protection, from 5M/5L to 5L/5K is Limited Residential/Recreational, and from 5L/5K to 5K/5J is Resource Protection.
17	From this line to the line between 5A and 4 is Limited Residential/Recreational.
18	Lot 4, Map 4 is Limited Residential/Recreational.
19	From the boundary of Lot 3 & 4, Map 4 to the lot line separating Lots IB and IC on Map 2 is zoned Limited Residential/Recreational. Including all of Map 22.
20 M 2	Lot 1C is in the Limited Residential/Recreational, Subzone I.
21 M 2	Going southerly from the above lot line to the Smithfield/Oakland border is in the Resource Protection Zone.
22	LITTLE POND starting at the West point of Little Pond at property lines of 4B and 49
M 8	proceeding East through property lines of 49 and 4B proceeding South/West back to the beginning point.

SHORE LAND ZONING Page 64 of 66

There are certain other wetlands that have upland borders in the Resource Protection Zone and are shown on the official Shoreland Zoning Map. Also, see the map for certain islands on both North Pond and East Pond that are included in the Shoreland Zoning regulations.

Portions of Leech Brook and Sucker Brook and the unnamed tributary to Martin Stream crossing Quaker lane as shown on the Shoreland Zoning map are all in the Stream Protection Zone, which regulate certain activities within 75 feet from the streams. The area within 250 feet of the upland edge of the wetland shown on the attached map shall be designated as a Resource Protection District according to the provisions of the Smithfield Shore land Zoning Ordinance. STATUTORY AUTHORITY: 38 M.R.S.A. Section 438-A(5)

EFFECTIVE DATE:

January 13, 1988 (filed as 06-101, Ch. 1)

AMENDED:

March 24, 1990 (filed as 06-096, Ch. 1000) June 19, 1991 - Sections 15 and 17 July 14, 1992 - Sections 4, 8, 9, 12, 15, 16 & 17 August 7, 1994 - Sections 3, 14 & 16

EFFECTIVE DATE (ELECTRONIC CONVERSION): May 5, 1996

NON-SUBSTANTIVE CORRECTIONS:

December 29, 1997 - minor spelling and formatting. April 1, 1998 - minor renumbering and formatting.

AMENDED:

February 6, 1999 February 13, 2000 May 1, 2006 – filing 2006-115 November 22, 2010 – filing 2010-581 May 5, 2012 – filing 2012-134 January 26, 2015 – filing 2015-009

APPENDIX A

38 §437. Significant river segments identified

For purposes of this chapter, significant river segments include the following:

- 1. Aroostook River. The Aroostook River from St. Croix Stream in Masardis to the Masardis and T.10, R.6, W.E.L.S. townline, excluding segments in T.9, R.5, W.E.L.S.; including its tributary the Big Machias River from the Aroostook River in Ashland to the Ashland and Garfield Plantation townlines:
- 2. Dennys River. The Dennys River from the railroad bridge in Dennysville Station to the dam at Meddybemps Lake, excluding the western shore in Edmunds Township and No. 14 Plantation;
- **3. East Machias River.** The East Machias River from 1/4 of a mile above the Route 1 bridge in East Machias to the East Machias and T.18, E.D., B.P.P. townline, and from the T.19, E.D., B.P.P. and Wesley townline to the outlet of Crawford Lake in Crawford, excluding Hadley Lake;
- **4. Fish River.** The Fish River from the bridge in Fort Kent Mills to the outlet of Eagle Lake in Wallagrass, and from the Portage Lake and T.14, R.6, townline to the Portage Lake and T.13, R.7, W.E.L.S. townline, excluding Portage Lake;
- **5. Machias River.** The Machias River from the Whitneyville and Machias townline to the Northfield T.19, M.D., B.P.P. townline;
- 6. Mattawamkeag River. The Mattawamkeag River from the outlet of Mattakeunk Stream in Winn to the Mattawamkeag and Kingman Township townline, and from the Reed Plantation and Bancroft townline to the East Branch, including its tributaries the West Branch from the Mattawamkeag River to the Haynesville T.3, R.3, W.E.L.S. townline and from its inlet into Upper Mattawamkeag Lake to the Route 2 bridge; the East Branch from the Mattawamkeag River to the Haynesville and Forkstown Township townline and from the T.4, R 3, W.E.L.S. and Oakfield townline to Red Bridge in Oakfield; the Fish Stream from the Route 95 bridge in Island Falls to the Crystal-Patten townline; and the Baskehegan Stream from its inlet into Crooked Brook Flowage in Danforth to the Danforth and Brookton Township townline;
- 7. Narraguagus River. The Narraguagus River from the ice dam above the railroad bridge in Cherryfield to the Beddington and Devereaux Township townline, excluding Beddington Lake;
- **8. East Branch of Penobscot.** The East Branch of the Penobscot from the Route 157 bridge in Medway to the East Millinocket and Grindstone Township townline;
- **9. Pleasant River.** The Pleasant River from the railroad bridge in Columbia Falls to the Columbia and T.18, M.D., B.P.P. townline, and from the T.24, M.D., B.P.P. and Beddington townline to the outlet of Pleasant River Lake;
- **10. Rapid River.** The Rapid River from the Magalloway Plantation and Upton townline to the outlet of Pond in the River;
- **11.West Branch Pleasant River.** The West Branch Pleasant River from the East Branch to the Brownville and Williamsburg Township townline; and
- **12.West Branch of Union River.** The West Branch of the Union River from the Route 9 bridge in Amherst to the outlet of Great Pond in the Town of Great Pond.

SHORE LAND ZONING Page 66 of 66